

General Information

Extended Product Type:	JB26-2
Product ID:	1SNK926302R0000
EAN:	3472599163645
Catalog Description:	JB26-2 Jumper Bar
Long Description:	Screw jumper bars

Additional Information

ABB Industrial IT Suite:	Control IT
ATEX Certificate:	1SND162004A1707
Ambient Air Temperature:	Operation -55 ... +110 °C Storage -55 ... +110 °C
Ambient Temperature:	-5 ... +40 °C
Country of Origin:	France (FR)
Customs Tariff Number:	85369010
Data Sheet, Technical Information:	1SNK160034D0201
Degree of Protection:	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20
Dielectric Test Voltage:	3500 V
E-nummer:	2925397
EAN:	3472599163645
ETIM 4:	EC000489 - Cross-connector for terminal block
ETIM 5:	EC000489 - Cross-connector for terminal block
ETIM 6:	EC000489 - Cross-connector for terminal block
Function:	Jumper Bars
IT Publishing Status:	Level 0 - Information enabled
Industrial IT Certification Level:	0
Instructions and Manuals:	1SNK160027C0201
Insulation Material:	Polyamide
Invoice Description:	JB26-2 Jumper Bar
Maximum Operating Voltage UL/CSA:	Main Circuit 600 V
Medium Description:	Screw jumper bars
Minimum Order Quantity:	5 piece
Mounting Type:	- With flat pliers, cut out the partitions on the terminal block insulating body. Be careful to not cut out the jumpered terminal blocks partitions at both ends of the assembly in order to maintain the IP20, Nema1 protection and insulation, - Install the jumper bar with the recommended tool and torque.
Number of Poles:	2
Object Classification Code:	X
Order Multiple:	5 piece
Package Level 1 EAN:	3472599163645
Package Level 1 Gross Weight:	0.206 kg
Package Level 1 Height:	45 mm
Package Level 1 Length:	105 mm
Package Level 1 Units:	5 piece
Package Level 1 Width:	45 mm
Package Level 2 Gross Weight:	4.66 kg
Package Level 2 Height:	200 mm

Package Level 2 Length:	300 mm
Package Level 2 Units:	105 piece
Package Level 2 Width:	200 mm
Package Level 3 Units:	10080 piece
Power Loss:	7.4 W
Product Main Type:	JB26
Product Name:	Jumper Bar
Product Net Depth:	20.7 mm
Product Net Height:	42 mm
Product Net Length:	20.7 mm
Product Net Weight:	41.2 g
Product Net Width:	26 mm
Product Packing Type:	Box
Rated Current (I_n):	Main Circuit 232 A
Rated Impulse Withstand Voltage (U_{imp}):	8000 V
Rated Short-time Withstand Current (I_{cw}):	for 1 s 11400 A
Rated Voltage (U_r):	1000 V
Recommended Screw Driver:	4 mm
RoHS Date:	18 08 2005
RoHS Information:	1SND230499F0202
RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Selling Unit of Measure:	piece
Short Description:	Jumper Bars JB26-2
Spacing:	26 mm
Sub-Function 2:	Screw
Suitable For:	D95/26 ZS95

