

**PZ 16 ZERT****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

**Crimping tools for wire end ferrules, with and without plastic collars**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

**General ordering data**

Type	PZ 16 ZERT
Order No.	<a href="#">9017340000</a>
Version	Crimping tool for wire-end ferrules, 6mm <sup>2</sup> , 16mm <sup>2</sup> , Indent crimping
GTIN (EAN)	4008190420468
Qty.	1 pc(s).

**PZ 16 ZERT****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

**Technical data****Dimensions and weights**

Width	200 mm	Width (inches)	7.874 inch
Weight	418 g	Net weight	436 g

**Description of contact**

Type of contact	Wire-end ferrules with/ without plastic collars	Crimping range, min.	6 mm <sup>2</sup>
Crimping range, max.	16 mm <sup>2</sup>		

**tool data crimping**

Crimping profile 1, min.	6 mm <sup>2</sup>	Crimping type/profile	Indent crimping
Crimping profile 2, min.	10 mm <sup>2</sup>	Crimping profile 3, min.	16 mm <sup>2</sup>

**Classifications**

ETIM 3.0	EC000005	ETIM 4.0	EC000005
ETIM 5.0	EC000168	ETIM 6.0	EC000168
UNSPSC	31-16-31-02	eClass 5.1	27-40-02-01
eClass 6.2	21-04-38-11	eClass 7.1	21-04-38-10
eClass 8.1	21-04-38-10	eClass 9.0	21-04-38-10
eClass 9.1	21-04-38-11		

**Product information**

Descriptive text ordering data	Additional accessories can be found in Chapter J
Descriptive text accessories	Information and ordering data for wire-end ferrules - see Chapter J Accessories wire-end ferrules

**Approvals**

Approvals



ROHS Conform

**Downloads**Brochure/Catalogue [CAT 6 TOOLS 15/16 EN](#)

**Data sheet**

**PZ 16 ZERT**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

