

## Datasheet

Art.No. 71.354.1635.0

Hood BAS GOT GI 16 M32 A0

revos BASIC size 16 hood with cable gland M32, top cable entry, single locking lever



Art.No.	71.354.1635.0
EAN	4015573651463
Order unit	1 pieces

## Approvals



## Technical data

### General

Housing material	Aluminium
Colour	Grey
Surface	With powder coating
Degree of protection (IP)	IP54
UV resistant	Yes
Inflammability class of insulation material acc. with UL94	Other
Operating temperature range min.	-40 °C
Operating temperature range max.	120 °C

### Model

DIN-size	16
Model	male
Locking mechanism	Single locking lever
Cable entry	Above
Type of cable	Gland nut
With cable screw gland	Yes
Thread size M	32
Thread size PG	
Hinged lid	No
EMC-version	No
Length	94 mm
Width	43 mm
Height	60 mm

**Classification**

ECLASS 8.1	27440202
ETIM 6.0	EC000437
ETIM 5.0	EC000437
ETIM 4.0	EC000437
ETIM 3.0	EC000437

Drawings

**Varianten/ Variants**

.0	
.2	
.3	
.4	
.5	

**Specification Table:**

71.352.1635.5	BAS 60T 61 16 M25 A5	Kabeisverschraubung(KV), IP65	
71.352.1635.4	BAS 60T 61 16 M25 A4	KV mit Zugentlastung, IP65	
71.352.1635.3	BAS 60T 61 16 M25 A3	KV mit Zugentlastung und Keilschutz, IP65	
71.352.1635.2	BAS 60T 61 16 M25 A2	Zwischenstützen	
71.352.1635.1	BAS 60T 61 16 M25 A1	Geänderte Bohrung	X
71.352.1635.0	BAS 60T 61 16 M25 A0	Kabeisverschraubung(KV), IP65	
	Typ	Varianten	
	Order number	/Variants	

**GEHAUSEOBerteil**  
 Part size 16-cable outlet for M25/M32

**Technical Notes:**

Dimensions are in millimeters unless otherwise specified.  
 Dimensions in parentheses are for reference only.  
 Dimensions in brackets are for reference only.  
 Dimensions in bold are for reference only.  
 Dimensions in italics are for reference only.  
 Dimensions in small font are for reference only.