

Datasheet

Art.No. 70.330.2435.0

Bottom BAS GUT GB 24 M25 A0

revos BASIC size 24 closed-bottom base with 2 cable glands M25, double locking lever



Art.No.	70.330.2435.0
EAN	4015573618671
Order unit	1 pieces

Approvals



Technical data

General

Housing material	Aluminium
Colour	Grey
Surface	With powder coating
Degree of protection (IP)	IP54
UV resistant	Yes
Inflammability class of insulation material acc. with UL94	Other
Operating temperature range min.	-40 °C
Operating temperature range max.	120 °C

Model

DIN-size	24
Model	Surface mounting (base)
Locking mechanism	Double locking levers
Cable entry	Two-sided
Type of cable	Gland nut
With cable screw gland	Yes
Thread size M	25
Thread size PG	
Hinged lid	No
EMC-version	No
Length	144 mm
Width	57 mm
Height	57 mm

Classification

ECLASS 8.1	27440202
ETIM 6.0	EC000437
ETIM 5.0	EC000437
ETIM 4.0	EC000437
ETIM 3.0	EC000437

Drawings

Technical drawing of a terminal block. The drawing includes a perspective view and a top view with dimensions. The top view shows a rectangular block with a central hole. Dimensions include a width of 57, a height of 19.5, and a total length of 165.5. The distance between the two main contact points is 144. The radius of the contact points is R46. The distance from the edge to the center of the contact points is 56.5. The distance between the two main contact points is 132. The diameter of the central hole is $\phi 5,3/M5$.

Bohrbild /Cut out

Varianten/Variants .0

70.330.2435.1	BAS 6UT 6B 24 M25 A1	Geometriebezeichnung /Thread hole	X
70.330.2435.0	BAS 6UT 6B 24 M25 A0	Kabelverschraubung (KV), IP3X, montiert /Cable gland (CG), IP3X, assembled	

Bestellnummer /Order number: 70.330.2435.0
 Typ /Type: Varianten /Variants

Weitere Daten siehe KATALOG oder eKatalog. /Additional data see CATALOG or eCatalog. www.wieland-electric.com

Bohrung für 10 TYPEN/Drilling for 10 TYPES: Die Bohrung ist für die Montage von 10 verschiedenen Typen von Kabelverschraubungen vorgesehen. /The drilling is intended for the assembly of 10 different types of cable glands. The diameter of the hole and the distance between the holes must be observed.

Drilling for 10 TYPES/Drilling for 10 TYPES: Die Bohrung ist für die Montage von 10 verschiedenen Typen von Kabelverschraubungen vorgesehen. /The drilling is intended for the assembly of 10 different types of cable glands. The diameter of the hole and the distance between the holes must be observed.

Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES
Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES
Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES
Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES
Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES
Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES
Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES
Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES
Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES
Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES	Drilling for 10 TYPES/Drilling for 10 TYPES

Wieland

GEHÄUSEUNTERTEIL
 Baugruppe 24-Mittelbohrung 2x M5
 Housing size 24-cable outlet 2x M5