

Datasheet

Art.No. 71.331.1635.0

Bottom BAS GUT GM 16 M25 A0

revos BASIC size 16 closed-bottom base with cable gland M25, left single locking lever



Art.No.	71.331.1635.0
EAN	4015573621824
Order unit	1 pieces

Approvals



Technical data

General

Housing material	Aluminium
Colour	Grey
Surface	With powder coating
Degree of protection (IP)	IP54
UV resistant	Yes
Inflammability class of insulation material acc. with UL94	Other
Operating temperature range min.	-40 °C
Operating temperature range max.	120 °C

Model

DIN-size	16
Model	Surface mounting (base)
Locking mechanism	Single locking lever
Cable entry	Sideways
Type of cable	Gland nut
With cable screw gland	Yes
Thread size M	25
Thread size PG	
Hinged lid	No
EMC-version	No
Length	117 mm
Width	57 mm
Height	57 mm

Classification

ECLASS 8.1	27440202
ETIM 6.0	EC000437
ETIM 5.0	EC000437
ETIM 4.0	EC000437
ETIM 3.0	EC000437

Drawings

Bohrbild /Cut out

71.331.1635.1	BAS GUT GM 16 M25 A1	Gewindebohrung /Thread hole	X
71.331.1635.0	BAS GUT GM 16 M25 A0	Kabelverschraubung(KV), IP54, montiert /Cable gland(GD), IP54, assembled	
Buchsennummer /Order number	Typ /Type	Varianten /Variants	

Weitere Daten siehe KATALOG oder eKatalog.
Additional data see CATALOG or eCatalog.
www.wieland-electric.com
eshop.wieland-electric.com

GEHÄUSEUNTERTEIL
 Baugruppe 16-Kabelbohrung 1xM25 Links
 Housing size 16 cable outlet 1xM25 Left