

Datasheet

Art.No. 71.331.1035.0

Bottom BAS GUT GM 10 M20 A0

revos BASIC size 10 closed-bottom base with cable gland M20, left single locking lever



Art.No.	71.331.1035.0
EAN	4015573621800
Order unit	1 pieces

Approvals



Technical data

General

Housing material	Aluminium
Colour	Grey
Surface	With powder coating
Degree of protection (IP)	IP54
UV resistant	Yes
Inflammability class of insulation material acc. with UL94	Other
Operating temperature range min.	-40 °C
Operating temperature range max.	120 °C

Model

DIN-size	10
Model	Surface mounting (base)
Locking mechanism	Single locking lever
Cable entry	Sideways
Type of cable	Gland nut
With cable screw gland	Yes
Thread size M	20
Thread size PG	
Hinged lid	No
EMC-version	No
Length	94 mm
Width	52 mm
Height	55 mm

Classification

ECLASS 8.1	27440202
ETIM 6.0	EC000437
ETIM 5.0	EC000437
ETIM 4.0	EC000437
ETIM 3.0	EC000437

Drawings

Varianten/Variants
.0

Bohrbild
/Cut out

71.331.1035.1	BAS GUT GM 10 M25 A1	Gewindebohrung /Thread hole	X
71.331.1035.0	BAS GUT GM 10 M25 A0	Kabelverschraubung (KVV), IP53, montiert /Cable gland (CG), IP53, assembled	
Bauzeilennummer /Order number	Typ /Type	Varianten /Variants	Anzahl /Quantity

Weitere Daten siehe KATALOG oder eKatalog. www.wieland-electric.com
 Additional data see CATALOG or eCatalog. eshop.wieland-electric.com

	Bestellnummer Article no. 71.331.1035.0	Typ Type BAS GUT GM 10 M25 A0	Material Material Stahl Steel	Oberflächenbeschichtung Surface treatment Verzinkt Zinc plated	Gewindebohrung Thread hole Ø 19	Gesamtlänge Overall length 94	Bohrlänge Bore length 54.5	Bohrdurchmesser Bore diameter M	Gewindebohrung Thread hole Ø 19	Gewindebohrung Thread hole Ø 19
--	---	-------------------------------------	--	---	---------------------------------------	-------------------------------------	----------------------------------	---------------------------------------	---------------------------------------	---------------------------------------

GEHAUSEUNTERTEIL
 Gehäuse 10-Kabelbohrung IP53/IP54
 Housing size 10-cable outlet IP53/IP54