

# BJMI12-4



Products Low Voltage Products and Systems Connection Devices Terminal Blocks Accessories Jumper Bars

## General Information

<b>Extended Product Type:</b>	BJMI12-4
<b>Product ID:</b>	1SNA179629R1100
<b>EAN:</b>	3472591796292
<b>Catalog Description:</b>	BJMI12-4 POLES Jumper Bars
<b>Long Description:</b>	- IP20 assembled screw jumper bars, - Perforated jumper bar with captive screws and spacers, - Allows the connection of consecutive blocks or not: remove unnecessary screw and spacer.

## Additional Information

<b>ABB Industrial IT Suite:</b>	Control IT
<b>Country of Origin:</b>	France (FR)
<b>Customs Tariff Number:</b>	85369010
<b>Data Sheet, Technical Information:</b>	1SNC160001C0207-CH-J Accessories
<b>Declaration of Conformity - CE:</b>	1SND225001C1009
<b>Degree of Protection:</b>	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20
<b>EAN:</b>	3472591796292
<b>ETIM 4:</b>	EC000489 - Cross-connector for terminal block
<b>ETIM 5:</b>	EC000489 - Cross-connector for terminal block
<b>ETIM 6:</b>	EC000489 - Cross-connector for terminal block
<b>Function:</b>	Jumper Bars
<b>IIT Publishing Status:</b>	Level 0 - Information enabled
<b>Industrial IT Certification Level:</b>	0
<b>Instructions and Manuals:</b>	1SNC160001C0207-CH-J Accessories
<b>Invoice Description:</b>	BJMI12-4 POLES Jumper Bars
<b>Minimum Order Quantity:</b>	10 piece
<b>Mounting Type:</b>	Simplified model, composed of a bar prepunched to the spacing of the blocks, and of captive screws and spacers. This accessory can be used for connecting blocks which are consecutive or not: in this case remove the screws and spacers which are not required.
<b>Mounting on DIN Rail:</b>	G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
<b>Object Classification Code:</b>	X
<b>Order Multiple:</b>	10 piece
<b>Package Level 1 EAN:</b>	3472591796292
<b>Package Level 1 Gross Weight:</b>	0.13 kg
<b>Package Level 1 Height:</b>	5 mm
<b>Package Level 1 Length:</b>	200 mm
<b>Package Level 1 Units:</b>	10 piece
<b>Package Level 1 Width:</b>	155 mm
<b>Package Level 2 Height:</b>	130 mm
<b>Package Level 2 Length:</b>	227 mm
<b>Package Level 2 Units:</b>	400 piece
<b>Package Level 2 Width:</b>	175 mm
<b>Product Main Type:</b>	BJMI
<b>Product Name:</b>	Jumper Bar
<b>Product Net Weight:</b>	13 g
<b>Product Packing Type:</b>	Bag
<b>Rated Current (I<sub>n</sub>):</b>	Main Circuit 76 A
<b>RoHS Information:</b>	1SND230492F0201
<b>Selling Unit of Measure:</b>	piece
<b>Spacing:</b>	12 mm
<b>Sub-Function:</b>	Assembled jumper bar
<b>Sub-Function 2:</b>	Screw
<b>Suitable For:</b>	C16/12 M16/12

