BER16-4



Products Low Voltage Products and Systems Control Products Contactors Block Contactors Accessories

General Information

Extended Product Type: BER16-4

 Product ID:
 1SBN081311R1000

 EAN:
 3471523130777

Catalog Description:BER16-4 Connection Set for Reversing ContactorsLong Description:BER16-4 Connection Set for Reversing Contactors

Additional Information

| ABB Industrial IT Suite: | Control IT |
|------------------------------------|--|
| Country of Origin: | China (CN) |
| Customs Tariff Number: | 85389099 |
| Data Sheet, Technical Information: | 1SBC100173C0201 |
| Declaration of Conformity - CE: | NoDecNee |
| E-nummer: | 3211441 |
| EAN: | 3471523130777 |
| ETIM 4: | EC002498 - Accessories for low-voltage switch technology |
| ETIM 5: | EC002498 - Accessories for low-voltage switch technology |
| ETIM 6: | EC002498 - Accessories for low-voltage switch technology |
| Environmental Information: | 1SBD250141E1000 |
| GOST Certificate: | GOST_POCCFR.ME77.B07175.pdf |
| IIT Publishing Status: | Level 0 - Information enabled |
| Industrial IT Certification Level: | 0 |
| Instructions and Manuals: | 1SBC101029M6801 |
| Invoice Description: | BER16-4 Connection Set for Reversing Contactors |
| Minimum Order Quantity: | 1 piece |
| Order Multiple: | 1 piece |
| Package Level 1 EAN: | 3471523130777 |
| Package Level 1 Gross Weight: | 0.045 kg |
| Package Level 1 Height: | 15 mm |
| Package Level 1 Length: | 150 mm |
| Package Level 1 Units: | 1 piece |
| Package Level 1 Width: | 120 mm |
| Package Level 2 Units: | 20 piece |
| Package Level 3 Units: | 840 piece |
| Product Main Type: | Accessories for Block Contactors |
| Product Name: | Connection Set |
| Product Net Weight: | 0.045 kg |
| Product Packing Type: | Bag |
| RINA Certificate: | RINA_ELE084013XG |
| Selling Unit of Measure: | piece |
| Short Description: | BER16-4 Connection Set for Reversing Contactors |
| Suitable For: | AF09 |
| | AF12 AF16 |
| Terminal Type: | Screw Terminals |
| UL Certificate: | UL_20120730-E312527 |
| UL Listing Card: | UL_E312527 |
| UNSPSC: | 39120000 |
| | |