

## General Information

<b>Extended Product Type:</b>	BAM4
<b>Product ID:</b>	1SNK900001R0000
<b>EAN:</b>	3472599097254
<b>Catalog Description:</b>	BAM4 End Stop - Dark Grey
<b>Long Description:</b>	- Give efficient support to the SNK terminal blocks assemblies thanks to the BAM4 double gripping rail contact, - Ease the assemblies identification with the BAM4 marking location compatible with all SNK markers and labels.

## Additional Information

<b>ABB Industrial IT Suite:</b>	Control IT
<b>Ambient Air Temperature:</b>	Operation -55 ... +110 °C Storage -55 ... +110 °C
<b>Ambient Temperature:</b>	-5 ... +40 °C
<b>Color:</b>	Dark Grey
<b>Connection Type:</b>	Screw clamp
<b>Country of Origin:</b>	France (FR)
<b>Customs Tariff Number:</b>	85369010
<b>Data Sheet, Technical Information:</b>	1SNK160016D0201
<b>Degree of Protection:</b>	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20
<b>E-nummer:</b>	2925146
<b>EAN:</b>	3472599097254
<b>ETIM 4:</b>	EC001041 - End bracket for terminal block
<b>ETIM 5:</b>	EC001041 - End bracket for terminal block
<b>ETIM 6:</b>	EC001041 - End bracket for terminal block
<b>Environmental Information:</b>	1SND220078E1000
<b>Flammability According to UL94:</b>	V0
<b>Function:</b>	End Stops
<b>IIT Publishing Status:</b>	Level 0 - Information enabled
<b>Industrial IT Certification Level:</b>	0
<b>Instructions and Manuals:</b>	1SNK160027C0201
<b>Insulation Material:</b>	Polyamide
<b>Invoice Description:</b>	BAM4 End Stop - Dark Grey
<b>Medium Description:</b>	- Give efficient support to the SNK terminal blocks assemblies thanks to the BAM3 double gripping rail contact, - Ease the assemblies identification with the BAM3 marking location compatible with all SNK markers and labels.
<b>Minimum Order Quantity:</b>	50 piece
<b>Mounting on DIN Rail:</b>	TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
<b>Object Classification Code:</b>	X
<b>Order Multiple:</b>	50 piece
<b>Package Level 1 EAN:</b>	3472599097254
<b>Package Level 1 Gross Weight:</b>	0.7 kg
<b>Package Level 1 Length:</b>	280 mm
<b>Package Level 1 Units:</b>	50 piece
<b>Package Level 1 Width:</b>	178 mm
<b>Package Level 2 Units:</b>	1000 piece

<b>Package Level 3 Units:</b>	24000 piece
<b>Pollution Degree:</b>	3
<b>Product Main Type:</b>	BAM4
<b>Product Name:</b>	End Stop
<b>Product Net Depth:</b>	35 mm
<b>Product Net Height:</b>	53.5 mm
<b>Product Net Length:</b>	35 mm
<b>Product Net Weight:</b>	14 g
<b>Product Net Width:</b>	10 mm
<b>Product Packing Type:</b>	Bag
<b>Recommended Screw Driver:</b>	5.5 mm
<b>Resistance to Vibrations acc. to IEC 60068-2-6:</b>	Compliant
<b>RoHS Date:</b>	20160314
<b>RoHS Information:</b>	1SND230479F0206
<b>RoHS Status:</b>	Following EU Directive 2011/65/EC
<b>Selling Unit of Measure:</b>	piece
<b>Short Description:</b>	End Stops BAM3
<b>Spacing:</b>	10 mm
<b>Sub-Function:</b>	Screw
<b>Sub-Function 2:</b>	Screw
<b>Suitable For:</b>	RGW2.5 RGW2.5-PE RGW2.5-T RGW25-M5 RGW25-M6 RGW6 RGW6-PE RGW6-R1 RGW6-ST-1 RGW6-T ZDK2.5-22 ZDK4-22 ZDP2.5-11 ZDP2.5-22 ZDP2.5-D1 ZDP2.5-D2 ZDS4-22 ZDS4-22-R1 ZK10 ZK10-3P ZK10-PE ZK10-PE-3P ZK16 ZK16-3P ZK16-PE ZK16-PE-3P ZK2.5 ZK2.5-3P ZK2.5-4P ZK2.5-CH

