D95/26.P



Products Low Voltage Products and Systems Connection Devices Terminal Blocks SNA Series

General Information

Extended Product Type: D95/26.P

 Product ID:
 1SNA400620R1700

 EAN:
 3472599997851

Catalog Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow

Long Description: Reliable electrical and mechanical contact with the rail.

Additional Information

| Ambient Air Temperature: Surage -55 +110 °C Sitorage -55 +110 °C Sitorage -55 +10 °C SA Certificate: 15ND161051A0202 Cotor: Green-Yellow Screw Clamp / Flexible 1x2 0000 AWG Screw Clamp / Flexible 1x3 0000 AWG Screw Clamp / With Insulated Ferrule 1x 2 0 AWG Connecting Capacity Main Circuit: Screw Clamp / Flexible 1x3 0000 AWG Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Ferrule 1x 50 mm² Screw Clamp / With Insulated Main All Screw Clamp / With Insulated Ma | ABB Industrial IT Suite: | Control IT |
|--|--|--|
| CSA Certificate: ISND161051A0202 Color: Green-Yellow Connecting Capacity Main Circuit UUCSA Screw Clamp / Flexible 1x 2 0000 AWG Screw Clamp / With Insulated Fermule 1x 2 0 AWG Connecting Capacity UUCSA: Screw Clamp / Rigid 2 0000 AWG Screw Clamp / Rigid 1x 35 95 mm² Screw Clamp / Rigid 1x 35 95 mm² Screw Clamp / Rigid 1x 35 120 mm² Connecting Capacity Main Circuit: Screw Clamp / Flexible 1x 35 95 mm² Screw Clamp / Rigid 1x 35 120 mm² Screw Clamp / With Insulated Fermule 1x 50 mm² Connection Type: Screw Clamp / With Insulated Fermule 1x 50 mm² Connection Type: Screw Clamp / With Insulated Fermule 1x 50 mm² Connection Type: Screw Clamp / With Insulated Fermule 1x 50 mm² Connection Type: Screw Clamp / With Insulated Fermule 1x 50 mm² Connection Type: Screw Clamp / Screw Clamp / Screw Clamp / With Insulated Fermule 1x 50 mm² Connection Type: Screw Clamp / Screw Clamp / Screw Clamp / With Insulated Fermule 1x 50 mm² Connection Type: Screw Clamp / Screw C | Ambient Air Temperature: | · |
| Color: Green-Yellow Connecting Capacity Main Circuit ULCSA: Screw Clamp / Flexible 1x 2 0000 AWG Screw Clamp / Rigid 1x 2 0000 AWG Screw Clamp / Rigid 1x 2 0000 AWG Connecting Capacity ULCSA: Screw Clamp / Rigid 2 0000 AWG Strended 0 AWG Connecting Capacity Main Circuit: Screw Clamp / Rigid 1x 35 95 mm² Screw Clamp / Rigid 1x 35 120 mm² Screw Clamp / Nith Insulated Ferrule 1x 50 mm² Screw Clamp / Nith Insulated Ferrule 1 | Ambient Temperature: | -5 +40 °C |
| Connecting Capacity Main Circuit UUCSA: Screw Clamp / Rigid 1x2 0000 AWG Screw Clamp / Rigid 1x2 0000 AWG Screw Clamp / Rigid 1x2 0000 AWG Screw Clamp / Rigid 2 0000 AWG Screw Clamp / Rigid 2 0000 AWG Screw Clamp / Rigid 2 0000 AWG Stranded 0 AWG Connecting Capacity Main Circuit: Screw Clamp / Flexible 1x 35 95 mm² Screw Clamp / Rigid 1x 25 120 mm² Screw Clamp / With Insulated Ferrrule 1x 50 mm² Screw Clamp / With Insu | CSA Certificate: | 1SND161051A0202 |
| Screw Clamp / Rigid 1 x 2 0000 AWG Screw Clamp / Rigid 2 0000 AWG Screw Clamp / Rigid 2 0000 AWG Stranded 0 AWG Connecting Capacity Main Circuit: Screw Clamp / Rigid 1 x 35 35 mm² Screw Clamp / Rigid 1 x 35 120 mm² Screw Clamp / Rigid 1 x 35 120 mm² Screw Clamp / Rigid 1 x 35 120 mm² Screw Clamp / With Insulated Ferrule 1 x 50 mm² Scre | Color: | Green-Yellow |
| Stranded 0 AWG Connecting Capacity Main Circuit: Screw Clamp / Flexible 1x 35 95 mm² Screw Clamp / With Insulated Ferrrule 1x 50 mm² Screw Clamp / With Insulated Ferrrule 1x 50 mm² Country of Origin: France (FR) Customs Tariff Number: 85369010 Data Sheet, Technical Information: 15NC160019C0202 Declaration of Conformity- CE: 15ND225017U1000 Degree of Protection: acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP10 Delectric Test Voltage: 3500 V EAC Certificate: 15ND161009A1100 EAN: 3472599997851 ETIM 4: EC000901 - Ground terminal block ETIM 5: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block ETIM 6: EV000901 - Ground terminal block ETIM 6: Evironmental Information: 15ND220004E1002 Rammability According to UL94: V0 Function: Ground Guge Type: B12 Irr Publishing Status: Level 0 - Information enabled Industrial T Certification Level: 0 Instructions and Manuals: 15NC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: T H3S-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Nmber of Levels: | Connecting Capacity Main Circuit UL/CSA: | Screw Clamp / Rigid 1x 2 0000 AWG |
| Connection Type: Screw Clamp / With Insulated Ferrule 1x 50 mm² Country of Origin: France (FR) Customs Tariff Number: 85369010 Data Sheat, Technical Information: 1SNC160019C0202 Declaration of Conformity- CE: 1SND225017U1000 Degree of Protection: acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP10 Dielectric Test Voltage: 3500 V EAC Certificate: 1SND161009A1100 EAN: 3472599997851 ETIM 4: EC000901 - Ground terminal block ETIM 5: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block ETIM 7: USND220004E1002 Hammability According to UL94: VO Function: Ground Gauge Type: B12 IT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow <td>Connecting Capacity UL/CSA:</td> <td>. •</td> | Connecting Capacity UL/CSA: | . • |
| Country of Origin: France (FR) Customs Tariff Number: 85369010 Data Sheet, Technical Information: 1SNC160019C0202 Declaration of Conformity - CE: 1SND225017U1000 Degree of Protection: acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP10 Dielectric Test Voltage: 3500 V EAC Certificate: 1SND161009A1100 EAN: 3472599997851 ETIM 4: EC000901 - Ground terminal block ETIM 5: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block Environmental Information: 1SND220004E1002 Rammability According to UL94: V0 Function: Ground Gauge Type: B12 ITT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Connecting Capacity Main Circuit: | Screw Clamp / Rigid 1x 35 120 mm² |
| Customs Tariff Number: 85369010 Data Sheet, Technical Information: 15NC160019C0202 Declaration of Conformity - CE: 15ND225017U1000 Degree of Protection: acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP10 Dielectric Test Voltage: 3500 V EAC Certificate: 15ND161009A1100 EAN: 3472599997851 ETIM 4: EC000901 - Ground terminal block ETIM 5: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block Environmental Information: 15ND220004E1002 Fammability According to UL94: V0 Function: Ground Gauge Type: B12 ITT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 15NC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: | Connection Type: | Screw clamp |
| Data Sheet, Technical Information: 1SNC160019C0202 Declaration of Conformity - CE 1SND225017U1000 Degree of Protection: acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP10 Dielectric Test Voltage: 3500 V EAC Certificate: 1SND161009A1100 EAN: 3472599997851 ETIM 4: EC000901 - Ground terminal block ETIM 5: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block Environmental Information: 1SND220004E1002 Rammability According to UL94: V0 Function: Ground Gauge Type: B12 IIT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Country of Origin: | France (FR) |
| Declaration of Conformity - CE 1SND225017U1000 Degree of Protection: acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP10 Dielectric Test Voltage: 3500 V EAC Certificate: 1SND161009A1100 EAN: 3472599997851 ETIM 4: EC000901 - Ground terminal block ETIM 5: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block Environmental Information: 1SND220004E1002 Rammability According to UL94: V0 Function: Ground Gauge Type: B12 IIT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Customs Tariff Number: | 85369010 |
| Degree of Protection: acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP10 Dielectric Test Voltage: 3500 V EAC Certificate: 1SND161009A1100 EAN: 3472599997851 ETIM 4: EC000901 - Ground terminal block ETIM 5: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block Environmental Information: 1SND220004E1002 Rammability According to UL94: V0 Function: Ground Gauge Type: B12 IIT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Data Sheet, Technical Information: | 1SNC160019C0202 |
| Dielectric Test Voltage: 3500 V EAC Certificate: 1SND161009A1100 EAN: 3472599997851 ETIM 4: EC000901 - Ground terminal block ETIM 5: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block Environmental Information: 1SND220004E1002 Rammability According to UL94: V0 Function: Ground Gauge Type: B12 IIT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Declaration of Conformity - CE: | 1SND225017U1000 |
| EAC Certificate: 1SND161009A1100 EAN: 3472599997851 ETIM 4: EC000901 - Ground terminal block ETIM 5: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block Environmental Information: 1SND220004E1002 Flammability According to UL94: V0 Function: Ground Gauge Type: B12 IIT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Degree of Protection: | acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP10 |
| EAN: 3472599997851 ETIM 4: EC000901 - Ground terminal block ETIM 5: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block Environmental Information: 1SND220004E1002 Rammability According to UL94: V0 Function: Ground Gauge Type: B12 ITT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Dielectric Test Voltage: | 3500 V |
| ETIM 4: EC000901 - Ground terminal block ETIM 5: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block Environmental Information: 1SND220004E1002 Flammability According to UL94: V0 Function: Ground Gauge Type: B12 ITT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | EAC Certificate: | 1SND161009A1100 |
| ETIM 5: EC000901 - Ground terminal block ETIM 6: EC000901 - Ground terminal block Environmental Information: 1SND220004E1002 Flammability According to UL94: V0 Function: Ground Gauge Type: B12 IT Publishing Status: Level 0 - Information enabled Inclustrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | EAN: | 3472599997851 |
| ETIM 6: EC000901 - Ground terminal block Environmental Information: 1SND220004E1002 Rammability According to UL94: V0 Function: Ground Gauge Type: B12 IIT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | ETIM 4: | EC000901 - Ground terminal block |
| Environmental Information: 1SND220004E1002 Flammability According to UL94: V0 Function: Ground Gauge Type: B12 IIT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | ETIM 5: | EC000901 - Ground terminal block |
| Function: Ground Gauge Type: B12 IIT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | ETIM 6: | EC000901 - Ground terminal block |
| Function: Ground Gauge Type: B12 IIT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Environmental Information: | 1SND220004E1002 |
| Gauge Type: B12 IIT Publishing Status: Level 0 - Information enabled Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Hammability According to UL94: | V0 |
| Industrial IT Certification Level: Industrial IT Certification Level: Instructions and Manuals: ISNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Function: | Ground |
| Industrial IT Certification Level: 0 Instructions and Manuals: 1SNC160019C0202 Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Gauge Type: | B12 |
| Instructions and Manuals: Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | IIT Publishing Status: | Level 0 - Information enabled |
| Insulation Material: Polyamide Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Industrial IT Certification Level: | 0 |
| Invoice Description: D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Instructions and Manuals: | 1SNC160019C0202 |
| Minimum Order Quantity: 10 piece Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Insulation Material: | Polyamide |
| Mounting on DIN Rail: TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 Number of Levels: 1 | Invoice Description: | D95/26.P Screw Clamp Terminal Blocks - Ground - Green-Yellow |
| Number of Levels: 1 | Minimum Order Quantity: | 10 piece |
| | Mounting on DIN Rail: | TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 |
| Object Classification Code: X | Number of Levels: | 1 |
| | Object Classification Code: | X |

| Order Multiple: | 10 piece |
|--|--|
| Package Level 1 EAN: | 3472599997851 |
| Package Level 1 Gross Weight: | 2.78 kg |
| Package Level 1 Height: | 87 mm |
| Package Level 1 Length: | 177 mm |
| Package Level 1 Units: | 10 piece |
| Package Level 1 Width: | 135 mm |
| Package Level 2 Height: | 200 mm |
| Package Level 2 Length: | 300 mm |
| Package Level 2 Units: | 30 piece |
| Package Level 2 Width: | 200 mm |
| Package Level 3 Units: | 2880 piece |
| Pollution Degree: | 3 |
| Product Main Type: | D95/26.P |
| Product Name: | Terminal block |
| Product Net Depth: | 85.2 mm |
| Product Net Height: | 87 mm |
| Product Net Weight: | 278 g |
| Product Net Width: | 26 mm |
| Product Packing Type: | Box |
| Rated Cross-Section: | 95 mm² |
| Rated Impulse Withstand Voltage (U_{imp}): | 8000 V |
| Rated Short-time Withstand Current (I_{cw}): | for 1 s 11400 A |
| Recommended Screw Driver: | 6 mm |
| Resistance to Vibrations acc. to IEC 60068-2-6: | Compliant |
| Selling Unit of Measure: | piece |
| Spacing: | 26 mm |
| Sub-Function: | 2 connections |
| Sub-Function 2: | Screw rail connection |
| Sub-Function 3: | 2 connections |
| Tightening Torque: | acc. IEC 60947-1 9 N·m Manufacturer 9.5 N·m |
| Wire Stripping Length: | 26.0 mm |
| | |

