

# BJMI5D-3



Products Low Voltage Products and Systems Connection Devices Terminal Blocks Accessories Jumper Bars

## General Information

|                               |   |
|-------------------------------|---|
| <b>Extended Product Type:</b> | BJMI5D-3  |
| <b>Product ID:</b>            | 1SNA176737R2200   |
| <b>EAN:</b>                   | 3472591767377   |
| <b>Catalog Description:</b>   | BJMI5D-3 Jumper Bars  |
| <b>Long Description:</b>      | - IP20 assembled screw jumper bars, - Perforated jumper bar with captive screws and spacers, - Allows the connection of consecutive blocks or not: remove unnecessary screw and spacer. |

## Additional Information

|   |   |
|---|---|
| <b>ABB Industrial IT Suite:</b>           | Control IT  |
| <b>Country of Origin:</b>                 | France (FR)   |
| <b>Customs Tariff Number:</b>             | 85369010  |
| <b>Data Sheet, Technical Information:</b> | 1SNC160001C0207-CH-J Accessories  |
| <b>Declaration of Conformity - CE:</b>    | 1SND225002C1007   |
| <b>Degree of Protection:</b>              | acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20  |
| <b>EAN:</b>                               | 3472591767377   |
| <b>ETIM 4:</b>                            | EC000489 - Cross-connector for terminal block   |
| <b>ETIM 5:</b>                            | EC000489 - Cross-connector for terminal block   |
| <b>ETIM 6:</b>                            | EC000489 - Cross-connector for terminal block   |
| <b>Function:</b>                          | Jumper Bars   |
| <b>IIT Publishing Status:</b>             | Level 0 - Information enabled   |
| <b>Industrial IT Certification Level:</b> | 0   |
| <b>Instructions and Manuals:</b>          | 1SNC160001C0207-CH-J Accessories  |
| <b>Invoice Description:</b>               | BJMI5D-3 Jumper Bars  |
| <b>Minimum Order Quantity:</b>            | 10 piece  |
| <b>Mounting Type:</b>                     | Simplified model, composed of a bar prepunched to the spacing of the blocks, and of captive screws and spacers. This accessory can be used for connecting blocks which are consecutive or not: in this case remove the screws and spacers which are not required. |
| <b>Mounting on DIN Rail:</b>              | G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715<br>TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715<br>TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715  |
| <b>Object Classification Code:</b>        | X   |
| <b>Order Multiple:</b>                    | 10 piece  |
| <b>Package Level 1 EAN:</b>               | 3472591767377   |
| <b>Package Level 1 Gross Weight:</b>      | 0.03 kg   |
| <b>Package Level 1 Height:</b>            | 5 mm  |
| <b>Package Level 1 Length:</b>            | 200 mm  |
| <b>Package Level 1 Units:</b>             | 10 piece  |
| <b>Package Level 1 Width:</b>             | 155 mm  |
| <b>Package Level 2 Height:</b>            | 150 mm  |
| <b>Package Level 2 Length:</b>            | 500 mm  |
| <b>Package Level 2 Units:</b>             | 1000 piece  |
| <b>Package Level 2 Width:</b>             | 300 mm  |
| <b>Package Level 3 Units:</b>             | 48000 piece   |
| <b>Product Main Type:</b>                 | BJMI  |
| <b>Product Name:</b>                      | Jumper Bar  |
| <b>Product Net Weight:</b>                | 3 g   |
| <b>Product Packing Type:</b>              | Bag   |
| <b>Rated Current (I<sub>n</sub>):</b>     | Main Circuit 24 A   |
| <b>Selling Unit of Measure:</b>           | piece   |
| <b>Spacing:</b>                           | 5 mm  |
| <b>Sub-Function:</b>                      | Assembled jumper bar  |
| <b>Sub-Function 2:</b>                    | Screw   |
| <b>Suitable For:</b>                      | MA2.5/5.D1<br>MA2.5/5.D2  |

