


# M4/8.SFD3



M4/8.SFD3 Screw Clamp Terminal Blocks - For 5 x 20 and 5 x 25 fuses - with blown fuse indicator - Grey

## General Information

Extended Product Type	M4/8.SFD3
Product ID	1SNA115935R0400
EAN	3472591159356
Catalog Description	M4/8.SFD3 Screw Clamp Terminal Blocks - For 5 x 20 and 5 x 25 fuses - with blown fuse indicator - Grey
Long Description	- Protect your circuits with 5x20 and 5x25 fuse terminal blocks (fuse not supplied with terminal blocks), - Quickly identify the defective circuit thanks to the blown fuse indicator.

## Ordering

Color	Grey
Minimum Order Quantity	50 piece
Customs Tariff Number	85361010

## Popular Downloads

Data Sheet, Technical Information	1SNC160019C0202
Instructions and Manuals	1SNC160019C0202

## Dimensions

Product Net Width	8 mm
Product Net Height	56.5 mm
Product Net Depth / Length	41 mm
Product Net Weight	14 g

## Technical

Rated Cross-Section	4 mm <sup>2</sup>
Spacing	8 mm
Connection Type	Screw clamp
Function	Fuse
Number of Levels	1
Connecting Capacity Main Circuit	Screw Clamp / Flexible 1x 0.5 ... 4 mm <sup>2</sup> Screw Clamp / Rigid 1x 0.5 ... 6 mm <sup>2</sup>
Gauge Type	A4
Rated Current (I <sub>n</sub> )	Main Circuit 6.3 A

Rated Voltage ( $U_r$ )	400 V
Rated Impulse Withstand Voltage ( $U_{imp}$ )	4000 V
Pollution Degree	3
Degree of Protection	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20
Insulation Material	Polyamide
Mounting on DIN Rail	G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
Wire Stripping Length	9.5 mm
Recommended Screw Driver	4 mm
Tightening Torque	acc. IEC 60947-1 0.5 N·m Manufacturer 0.8 N·m

## Technical UL/CSA

Flammability According to UL94	V0
--------------------------------	----

## Environmental

Ambient Air Temperature	Operation -55 ... +110 °C Storage -55 ... +110 °C
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

## Certificates and Declarations (Document Number)

Declaration of Conformity - CE	1SND225016U1000
EAC Certificate	1SND161009A1100
Environmental Information	1SND220021E1002
Instructions and Manuals	1SNC160019C0202
RMRS Certificate	1SND161007A1101
RoHS Information	1SND230023F0208

## Classifications

Object Classification Code	X
ETIM 4	EC000899 - Fuse terminal block
ETIM 5	EC000899 - Fuse terminal block
ETIM 6	EC000899 - Fuse terminal block

## Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	101 mm
Package Level 1 Depth / Length	265 mm
Package Level 1 Height	47 mm
Package Level 1 Gross Weight	0.7 kg
Package Level 1 EAN	3472591159356
Package Level 2 Units	450 piece
Package Level 2 Width	300 mm
Package Level 2 Depth / Length	500 mm

---

Package Level 2 Height	150 mm
Package Level 2 Gross Weight	6.3 kg
Package Level 3 Units	21600 piece
Product Packing Type	Box

---

---

## Categories

---

Low Voltage Products and Systems → Connection Devices → Terminal Blocks → SNA Series

