

Cable glands VG H M40 MS

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com



Cable glands for professional use in industrial applications which meet the highest demands in terms of quality and safety. They are available made from polyamide, polystyrene and brass.

General ordering data

Type	VG H M40 MS
Order No.	1921770000
Version	Cable glands, Cable gland, M 40, IP65, Brass, nickel-plated
GTIN (EAN)	4032248563036
Qty.	10 pc(s).

**Cable glands
VG H M40 MS**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com

Technical data

Dimensions and weights

Net weight 45.3 g

General information

AF size 1	40 mm	Cable gland	metric
External thread	M 40	Material	Brass, nickel-plated
Notch multi-layer sealing diameter 1	23 mm	Notch multi-layer sealing diameter 2	26 mm
Notch multi-layer sealing diameter 3	29 mm	Notch multi-layer sealing diameter 4	32 mm
O-Ring	NBR	Operating temperature range, max.	60 °C
Operating temperature range, min.	-20 °C	Pitch of thread	1.5 mm
Protection degree	IP65	Protection degree with GWDR	IP65

Semi-cable gland

Clamping screw material	Brass, nickel-plated	Pressure ring material	Polyamide
Sealing ring material	SBR/NBR		

Classifications

ETIM 3.0	EC000441	ETIM 4.0	EC000441
ETIM 5.0	EC000441	ETIM 6.0	EC000441
eClass 6.2	27-14-91-09	eClass 7.1	27-14-91-09
eClass 8.1	27-14-91-09	eClass 9.0	27-14-44-32
eClass 9.1	27-14-44-32		

Approvals

Approvals



ROHS Conform

Downloads

Engineering Data [EPLAN, WSCAD](#)