

ENSTO

PRODUCT SPECIFICATION

28/11/2017



6418677155567

SPCP131815G

Cubo S enclosure

Code SPCP131815G
 GTIN 6418677155567
 ENumber
 Name Cubo S enclosure
 Size 125 x 175 x 150 mm, 50 mm base,
 plain sides, grey cover, PC

Description Ensto Cubo S is a series of small to medium size enclosures available with knockouts or plain sides. The base of the enclosures is equipped with unique slots for printed circuit boards.



Technical specification

Technical specification

Content: Enclosure base, cover, cover screws, mounting screws

Dimensions

Weight: 0.60 kg
Width: 125 mm
Volume : 328.13 cm³
Size: 125 x 175 x 150
Height: 175 mm
Depth: 150 mm
Inner depth: 135.5 mm
Outer base depth: 50 mm
Outer cover height: 100 mm

Temperatures

Operating temperature: -40 ... +80 °C
Short term temperature range: -40 ... +120 °C

Materials

Base: Fiberglass reinforced polycarbonate

Cover:	Polycarbonate
Cover screws:	Polyamide
Gasket:	Polyurethane
Material selection:	Polycarbonate

Colors

Color:	Grey
---------------	------

Mechanical

Impact strength:	IK 08
-------------------------	-------

Certificates

Standards:	EN 62208, GOST R
-------------------	------------------

Ratings

Degree of protection:	IP66/IP67
Flammability rating:	UL 746C 5 inch flame test
ETIM class:	EC000261
ETIM 7:	EC000261

ETIM

ETIM

Height:	175 mm
Wall fastening possible:	true
Surface finishing:	Untreated
Colour:	Grey
With mounting plate:	false
With glazed door:	false
Impact strength:	IK08
Degree of protection (IP):	IP67
Depth:	150 mm
Width:	125 mm
Material:	Plastic
RAL-number:	7035
Suitable for outdoor set-up:	true

Packaging

Default package

Unit:	PCS
Size:	6
Length:	405 mm
Width:	305 mm
Height:	205 mm
Weight (net):	0.325 kg
Weight (brt):	3.943 kg

Volume:

25.322625