PRODUCT SPECIFICATION

28/11/2017

6418677155680

SPCP181810G

Cubo S enclosure

Code	SPCP181810G
GTIN	6418677155680
ENumber	
Name	Cubo S enclosure Size 175 x 175 x 100 mm, 50 mm base, plain sides, grey cover, PC
Description	Ensto Cubo S is a series of small to medium size enclosures available with knockouts or plain sides. The base of the enclosures is equipped with unique slots for printed circuit boards.

Technical specification

Technical specification

Content:	Enclosure base, cover, cover screws, mounting screws

Dimensions

Weight:	0.57 kg
Width:	175 mm
Volume :	306.25 cm³
Size:	175 x 175 x 100
Height:	175 mm
Depth:	100 mm
Inner depth:	85.5 mm
Outer base depth:	50 mm
Outer cover height:	10 mm

Temperatures

Operating temperature:	-40 ... +80 °C
Short term temperature range:	-40 ... +120 °C

Materials

Base:	Fiberglass reinforced polycarbonate

Ensto UK Ltd
Link House, Ninelands Lane
LS25 1NT Garforth, Leeds
England
email: salesuk@ensto.com
phone: +44 800 731 4447
www.ensto.com

Cover:	Polycarbonate
Cover screws:	Polyamide
Gasket:	Polyurethane
Material selection:	Polycarbonate

Colors

Color:	Grey

Mechanical

Impact strength:	IK 08

Certificates

Standards:	EN 62208, GOST R

Ratings

Degree of protection:	IP66/IP67
Flammability rating:	UL 746C 5 inch flame test
ETIM class:	EC000261
ETIM 7:	EC000261

ETIM

ETIM

Height:	175 mm
Wall fastening possible:	true
Surface finishing:	Untreated
Colour:	Grey
With mounting plate:	false
With glazed door:	false
Impact strength:	IK08
Degree of protection (IP):	IP67
Depth:	100 mm
Width:	175 mm
Material:	Plastic
RAL-number:	7035
Suitable for outdoor set-up:	true

Packaging

Default package

Unit:	PCS
Size:	6
Length:	395 mm
Width:	290 mm
Height:	230 mm
Weight (net):	0.372 kg
Weight (brt):	3.81 kg

Volume:	26.3465

Ensto UK Ltd
Link House, Ninelands Lane
LS25 1NT Garforth, Leeds
England
email: salesuk@ensto.com
phone: +44 800 731 4447
www.ensto.com