

ENSTO

PRODUCT SPECIFICATION

11/30/2017



6418677155406

SABP131808G

Cubo S enclosure

Code SABP131808G
 GTIN 6418677155406
 ENumber
 Name Cubo S enclosure
 Size 125 x 175 x 75 mm, 50 mm base, plain sides, grey cover, ABS

Description Ensto Cubo S is a series of small to medium size enclosures available with knockouts or plain sides. The base of the enclosures is equipped with unique slots for printed circuit boards.



Technical specification

Technical specification

Content: Enclosure base, cover, cover screws, mounting screws

Dimensions

Weight: 0.33 kg
Width: 125 mm
Size: 125 x 175 x 75
Height: 175 mm
Depth: 75 mm
Inner depth: 60.5 mm
Outer base depth: 50 mm
Outer cover height: 25 mm

Temperatures

Operating temperature: -40 ... +60 °C
Short term temperature range: -40 ... +80 °C

Materials

Base: ABS
Cover: ABS

| | |
|----------------------------|--------------|
| Cover screws: | Polyamide |
| Gasket: | Polyurethane |
| Material selection: | ABS |

Colors

| | |
|---------------|------|
| Color: | Grey |
|---------------|------|

Mechanical

| | |
|-------------------------|-------------|
| Impact strength: | IK 07/IK 06 |
|-------------------------|-------------|

Certificates

| | |
|-------------------|------------------|
| Standards: | EN 62208, GOST R |
|-------------------|------------------|

Ratings

| | |
|------------------------------|-----------|
| Degree of protection: | IP66/IP67 |
| ETIM class: | EC000261 |
| ETIM 7: | EC000261 |

ETIM

ETIM

| | |
|-------------------------------------|-----------|
| Height: | 175 mm |
| Wall fastening possible: | true |
| Surface finishing: | Untreated |
| Colour: | Grey |
| With mounting plate: | false |
| With glazed door: | false |
| Impact strength: | IK06 |
| Degree of protection (IP): | IP67 |
| Depth: | 75 mm |
| Width: | 125 mm |
| Material: | Plastic |
| RAL-number: | 7035 |
| Suitable for outdoor set-up: | false |

Packaging

Default package

| | |
|----------------------|----------|
| Unit: | PCS |
| Size: | 25 |
| Length: | 470 mm |
| Width: | 390 mm |
| Height: | 295 mm |
| Weight (net): | 0.611 kg |
| Weight (brt): | 8.811 kg |
| Volume: | 54.0735 |

