

ENSTO

PRODUCT SPECIFICATION

12/1/2017



6418677150661

DABP162412G

Cubo D enclosure

Code DABP162412G
 GTIN 6418677150661
 ENumber
 Name Cubo D enclosure
 Size 160 x 240 x 121 mm, plain sides, grey cover, ABS

Description Ensto Cubo D is a series of small enclosures with plain sides. Special features include fastening pods inside the cover and slots for printed circuit boards in the base.



Technical specification

Technical specification

Content: Enclosure base, cover, cover screws, mounting screws, cover plugs for cover screws

Dimensions

Weight: 0.68 kg
Width: 160 mm
Volume : 464.64 cm³
Size: 160 x 240 x 121
Height: 240 mm
Depth: 121 mm
Inner depth: 107.5 mm
Outer base depth: 76 mm
Outer cover height: 45 mm

Temperatures

Operating temperature: -40 ... +60 °C
Short term temperature range: -40 ... +80 °C

Materials

Base:	ABS
Cover:	ABS
Cover screws:	Stainless steel
Gasket:	Polyurethane
Material selection:	ABS

Colors

Color:	Grey
---------------	------

Mechanical

Impact strength:	IK 07/IK 06
-------------------------	-------------

Certificates

Standards:	EN 62208, GOST R
-------------------	------------------

Ratings

Degree of protection:	IP66/IP67
ETIM class:	EC000261
ETIM 7:	EC000261

ETIM

ETIM

Pitched roof:	false
RAL-number:	7035
Material:	Plastic
Surface finishing:	Untreated
Colour:	Grey
Wall build in:	false
With ventilation door:	false
Floor installation possible:	false
Pole fastening:	false
With mounting plate:	false
Impact strength:	IK06
Degree of protection (IP):	IP67
Depth:	121 mm
Tackable:	false
Width:	160 mm
With glazed door:	false
Height:	240 mm
Suitable for outdoor set-up:	false
With backside door:	false
Mounting plate depth-adjustable:	false
EMC-version:	false
Wall fastening possible:	true

Packaging

Default package

Unit:	PCS
Size:	8
Length:	470 mm
Width:	390 mm
Height:	295 mm
Weight (net):	0.611 kg
Weight (brt):	6.051 kg
Volume:	54.0735

Pallet package

Unit:	PCS
Size:	120
Length:	1200 mm
Width:	800 mm
Height:	1090 mm
Weight (net):	81.6 kg
Weight (brt):	113.765 kg
Volume:	1046.4