

OA3G01



- Products Low Voltage Products and Systems Switches Automatic Transfer Switches Accessories
- Products Low Voltage Products and Systems Switches DC Switch-Disconnectors Accessories
- Products Low Voltage Products and Systems Switches Manual bypass switches Accessories
- Products Low Voltage Products and Systems Switches Manual Change-over Switches Accessories
- Products Low Voltage Products and Systems Switches Motorized bypass switches Accessories
- Products Low Voltage Products and Systems Switches Motorized Change-over Switches Accessories
- Products Low Voltage Products and Systems Switches Switch Disconnectors Accessories
- Products Low Voltage Products and Systems Switches Switch Fuses Accessories Accessories for Switch Fuses

General Information

| | |
|-------------------------------|--------------------------|
| Extended Product Type: | OA3G01 |
| Product ID: | 1SCA022456R7410 |
| EAN: | 6417019141992 |
| Catalog Description: | OA3G01 Auxiliary contact |
| Long Description: | OA3G01 AUXILIARY CONTACT |

Additional Information

| | |
|--|------------------------------------|
| Conventional Free-air Thermal Current (I_{th}): | 16 A |
| Conventional Thermal Current (I_{the}): | 16 A |
| Country of Origin: | Bulgaria (BG) |
| Customs Tariff Number: | 85389099 |
| Data Sheet, Technical Information: | 1SCC301020C0201 |
| E-nummer: | 3171481 |
| EAN: | 6417019141992 |
| ETIM 5: | EC000041 - Auxiliary contact block |
| Industrial IT Certification Level: | 0 |
| Invoice Description: | OA3G01 Auxiliary contact |
| Minimum Order Quantity: | 10 piece |
| Number of Auxiliary Contacts NC: | 1 |
| Object Classification Code: | N/A |
| Order Multiple: | 10 piece |
| Package Level 1 EAN: | 6417019141992 |
| Package Level 1 Gross Weight: | 0.03 kg |
| Package Level 1 Height: | 30 mm |
| Package Level 1 Length: | 40 mm |
| Package Level 1 Units: | 1 piece |
| Package Level 1 Width: | 11 mm |
| Product Main Type: | OA3G01 |
| Product Name: | Auxiliary contact |
| Product Net Depth: | 11 mm |
| Product Net Height: | 30 mm |
| Product Net Weight: | 0.03 kg |
| Product Net Width: | 40 mm |
| Product Type: | OA3G |
| RoHS Information: | 1SCC390012D0201 |

RoHS Status: Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2006-04-01

Selling Unit of Measure: piece

Short Description: Auxiliary contact 1 NC

Size: 1

Suitable For:

- OT160
- OTM160
- OT200
- OTM200
- OT250
- OTM250
- OT315
- OTM315
- OT400
- OTM40
- OTM400
- OT500
- OT630
- OTM63
- OTM630
- OT800
- OTM80
- OTM800
- OT1000
- OTM100
- OTM1000
- OT1250
- OTM125
- OTM1250
- OT1600
- OTM1600
- OT2000
- OTM2000
- OT2500
- OTM2500
- OT3200
- OT4000
- OT200U
- OT400U
- OT600U
- OT800U
- OT1200U
- OTDC100
- OTDC160
- OTDC200
- OTDC250
- OTDC315
- OTDC400
- OTDC500
- OTDC630
- OTDC800
- OTDC100U
- OTDC200U
- OTDC250U
- OTDC320U
- OTDC400U
- OTDC600U
- OT160_C
- OT160_CF
- OT160_CL
- OT200_C
- OT200_CF
- OT200_CL
- OT250_C

OT250_CF
OT250_CL
OT315_C
OT315_CF
OT315_CL
OT400_C
OT400_CF
OT400_CL
OT630_C
OT630_CF
OT630_CL
OT800_C
OT800_CF
OT800_CL
OT1000_C
OT1000_CL
OT1250_C
OT1250_CL
OT1600_C
OT1600_CL
OT2000_C
OT2000_CL
OT2500_C
OT2500_CL
OT3200_C
OT200U_C
OT400U_C
OT600U_C
OT800U_C
OTM160_CM
OTM200_CM
OTM250_CM
OTM315_CM
OTM400_CM
OTM630_CM
OTM800_CM
OTM1000_CM
OTM1250_CM
OTM1600_CM
OTM2000_CM
OTM2500_CM
OTM3200_CM
OTM160_C_D
OTM200_C_D
OTM250_C_D
OTM315_C_D
OTM400_C_D
OTM630_C_D
OTM800_C_D
OTM1000_C_D
OTM1250_C_D
OTM1600_C_D
OT160_Y
OT200_Y
OT250_Y
OT315_Y
OT400_Y
OT630_Y
OT800_Y
OTM160_Y
OTM200_Y
OTM250_Y
OTM315_Y
OTM400_Y
OTM630_Y
OTM800_Y

U116000_T

- OS16
- OS20
- OS25
- OS32
- OS40
- OS63
- OSM32
- OS50
- OSM50
- OSM63
- OS100
- OSM100
- OS160
- OS125
- OSM125
- OSM160
- OS200
- OSM200
- OS250
- OSM250
- OS315
- OSM315
- OS400
- OSM400
- OS630
- OSM630
- OS800
- OSM800
- OS1250
- OSM1250
- OS30
- OS60
- OS600
- OS1200

Suitable for Product Class:

Switches

