

PRODUCT-DETAILS

S2C-UA 24 DC

S2C-UA 24 DC - Undervoltage release



General Information

Extended Product Type	S2C-UA 24 DC
Product ID	2CSS200911R0007
EAN	8012542896401
Catalog Description	S2C-UA 24 DC - Undervoltage release
Long Description	The S2C-UA 24 DC undervoltage release has the function to protect the load in case of a voltage drop included between 70% and 35% of its rated value. Positive safety (device tripping when the voltage is disconnected) emergency stop by means of a button. Suitable for MCBs S200 series, RCCBs F200 series and RCBOs DS201, DS202C, DS200 series. It can be used with MCBs SN201 series by means of SN201-IH interface module. Rated voltage: 24V d.c.

Ordering

EAN	8012542896401
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	18 mm
Product Net Height	0.085 m
Product Net Depth / Length	0.074 m
Product Net Weight	0.090 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.125 m
Package Level 1 Height	0.035 m
Package Level 1 Depth / Length	0.11 m
Package Level 1 Gross Weight	0.1 kg
Package Level 1 EAN	8012542896401

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Additional Information

Number of Switches	1
Product Main Type	S2C-UA
Product Name	Undervoltage release
Rated Voltage (U _r)	24 V
Suitable For	S200, SN201, F200, DS201, DS202C, DS200
Suitable for Product Class	Miniature Circuit Breakers MCBs Residual Current Devices RCDs Residual Current Breakers with Overload Protection RCBo

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CSC400002D0209
Declaration of Conformity - CE	9AKK106713A5575
Environmental Information	document not needed
Instructions and Manuals	9AKK107680A3321

Classifications

ETIM 4	EC000042 - Miniature circuit breaker (MCB)
ETIM 5	EC001286 - Auxiliary contact unit for distribution board
ETIM 6	EC001286 - Auxiliary contact unit for distribution board
ETIM 7	EC001286 - Auxiliary device for distribution board devices
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Undervoltage Releases

