

## Data sheet | Item number: 2002-2491

End and intermediate plate; 0.8 mm thick; gray

[www.wago.com/2002-2491](http://www.wago.com/2002-2491)



### Data

#### Physical data

|        |                       |
|--------|-----------------------|
| Width  | 0.8 mm / 0.031 inch   |
| Height | 105.1 mm / 4.138 inch |
| Depth  | 52.1 mm / 2.051 inch  |

#### Material data

|                             |          |
|-----------------------------|----------|
| Color                       | gray     |
| Flammability class per UL94 | V0       |
| Fire load                   | 0.108 MJ |
| Weight                      | 3.6 g    |

#### Commercial data

|                       |                |
|-----------------------|----------------|
| Product Group         | 22 (TOPJOB S)  |
| PU (SPU)              | 100 (25) Stück |
| Packaging type        | box            |
| Country of origin     | DE             |
| GTIN                  | 4045454538002  |
| Customs tariff number | 85389099990    |

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at 01788 568 008.



## Approvals / Certificates

### Ex-Approvals

| Logo | Approval                                       | Additional Approval Text | Certificate name  |
|------|--|--------------------------|---|
|      | IECEX<br>Physikalisch Technische Bundesanstalt | IEC 60079                | IECEX PTB<br>03.0004U<br>(Ex eb IIC<br>Gb or Ex<br>eb I Mb) |

## Downloads

### Documentation

#### Bid Text

|                          |              |               |          |
|--------------------------|--------------|---------------|----------|
| 2002-2491<br>X81 - Datei | Feb 19, 2019 | xml<br>2.6 kB | Download |
|--------------------------|--------------|---------------|----------|

|                          |              |                |          |
|--------------------------|--------------|----------------|----------|
| 2002-2491<br>doc - Datei | Apr 27, 2017 | doc<br>24.1 kB | Download |
|--------------------------|--------------|----------------|----------|

#### Additional Information

|                        |             |               |          |
|------------------------|-------------|---------------|----------|
| Technical explanations | Apr 3, 2019 | pdf<br>2.2 MB | Download |
|------------------------|-------------|---------------|----------|

## CAD/CAE-Data

### CAD data

|                        |     |          |
|------------------------|-----|----------|
| 2D/3D Models 2002-2491 | URL | Download |
|------------------------|-----|----------|

### CAE data

|                             |     |          |
|-----------------------------|-----|----------|
| EPLAN Data Portal 2002-2491 | URL | Download |
|-----------------------------|-----|----------|

|                          |     |          |
|--------------------------|-----|----------|
| WSCAD Universe 2002-2491 | URL | Download |
|--------------------------|-----|----------|

|                        |     |          |
|------------------------|-----|----------|
| ZUKEN Portal 2002-2491 | URL | Download |
|------------------------|-----|----------|

## Environmental Product Compliance

### Compliance Search

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at 01788 568 008.



[URL](#)

[Download](#)

Environmental Product Compliance 2002-2491

End and intermediate plate; 0.8 mm thick; gray

---

## Installation Notes

## Product family

### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

---

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at 01788 568 008.