


Data sheet | Item number: 2002-3292

End and intermediate plate; 0.8 mm thick; orange

www.wago.com/2002-3292



Data

Physical data

Width	0.8 mm / 0.031 inch
Height	93.3 mm / 3.673 inch
Depth	69.5 mm / 2.736 inch

Material data

Color	orange
Flammability class per UL94	V0
Fire load	0.119 MJ
Weight	4 g

Commercial data

Product Group	22 (TOPJOB S)
PU (SPU)	100 (25) Stück

Subject to changes. Please also observe the further product documentation!


WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at 01788 568 008.

Packaging type	box
Country of origin	CN
GTIN	4044918691222
Customs tariff number	85389099990

Approvals / Certificates

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	C22.2 No. 158	1536069

Downloads

Documentation

Bid Text

2002-3292 X81 - Datei	Feb 19, 2019	xml 2.6 kB	Download
2002-3292 doc - Datei	Apr 27, 2017	doc 24.1 kB	Download
Additional Information Technical explanations	Apr 3, 2019	pdf 2.2 MB	Download

CAD/CAE-Data

CAD data

2D/3D Models 2002-3292	URL	Download
------------------------	-----	----------

CAE data

EPLAN Data Portal 2002-3292	URL	Download
WSCAD Universe 2002-3292	URL	Download
ZUKEN Portal 2002-3292	URL	Download

Subject to changes. Please also observe the further product documentation!



Environmental Product Compliance

Compliance Search

	URL	Download
Environmental Product Compliance 2002-3292 End and intermediate plate; 0.8 mm thick; orange		

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!