

Data sheet

Commercial Art.No.: Z7.271.3227.0

Insulated jumper bar IVB WK4 E/U-12

Cross connector, insulated for DIN rail terminal blocks type WK ..., 12 -pole



| | |
|--------------------|---------------|
| Commercial Art.No. | Z7.271.3227.0 |
| EAN | 4015573155565 |
| Order Unit | 10 |

Technical data

General

| | |
|--------------------------|-----------------|
| Color | yellow |
| Type | Cross connector |
| Modular spacing | 5.95 mm |
| Number of bridged clamps | 12 |
| Mounting method | Screwable |
| Insulated | Yes |

Accessories

| | |
|--------------------------|-----------------|
| Type | Cross connector |
| Mounting method | Screwable |
| Insulated | Yes |
| Color | yellow |
| Number of bridged clamps | 12 |
| Modular spacing | 5.95 mm |

Classification

| | |
|------------|----------|
| ECLASS 8.1 | 27141140 |
| ETIM 7.0 | EC000489 |
| ETIM 6.0 | EC000489 |
| ETIM 5.0 | EC000489 |
| ETIM 4.0 | EC000489 |
| ETIM 3.0 | EC000489 |

Product compliance

| | |
|------------------------|---------------------------|
| ROHS conformity status | compliant with exceptions |
|------------------------|---------------------------|

| | |
|------------------------------|----------------------|
| ROHS exceptions | III-6(c) |
| REACH-SVHC conformity status | Declaration required |
| REACH-SVHC substances | Lead |
| REACH-SVHC CAS numbers | 7439-92-1 |