

Data sheet | Item number: 890-502/342-000

Strain relief housing; 2-pole; with locking clip; for 1 cable; 3.8 ... 8.2 mm; 17.5 mm; black




www.wago.com/890-502/342-000



RoHS Compliant

[BOMcheck.net](https://www.bomcheck.net)

Color:



Data

Connection data

Pole No.	2
Connectable sheathed cable diameter	3.8 ... 8.2 mm
Strip length (outer insulation)	17.5 mm

Physical data

Width	15.6 mm / 0.614 inch
Height	13.2 mm / 0.52 inch
Depth	29.7 mm / 1.169 inch

Material Data

Color	black
Insulation material	Polyamide (PA66)
Fire load	0.064 MJ

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at 01788 568 008.



Weight	2.1 g
--------	-------

Environmental Requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4050821765554
Customs tariff number	39269097900

Counterpart

Downloads

Documentation

Bid Text

890-502/342-000 GAEB X81 - Datei	Feb 19, 2019	xml 2.9 kB	Download
890-502/342-000 doc - Datei	Dec 3, 2014	doc 24.1 kB	Download

CAD/CAE-Data

CAD data

2D/3D Models 890-502/342-000	URL	Download
------------------------------	-----	----------

CAE data

WSCAD Universe 890-502/342-000	URL	Download
ZUKEN Portal 890-502/342-000	URL	Download

Subject to changes. Please also observe the further product documentation!



Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at 01788 568 008.