

# PC 125/100 HG



Sample image

**Order symbol:** PC 125/100 HG

**Product nbr:** 6011309

UL Code: 6411309

UL Name: UL PC 125/100HG

**Description:** Enclosure. PC



**Remarks:** Opaque cover

**Including:** Base with TPE gasket. screws for mounting plate/DIN-rail and cover with polyamide cover screws.

**EAN:** 6418074022110

**El. number:**

- Finland: 3420333
- Denmark: 8212022108
- Sweden: 2535533



**Dimensions:**      **Height**      **Width**      **Depth**

mm:                      130                      130                      100  
 inch:

**Materials:**

Material:                      Polycarbonate  
 Base colour:                      RAL 7035 -light grey  
 Cover colour:                      RAL 7035 -light grey  
 Gasket material:                      Polyurethane

**Temperatures:**

Temperature °C (short term)::                      -40 ... 120  
 Temperature °C (continuous):                      -40 ... 80  
 Temperature °F (short term):                      -40 ... 250  
 Temperature °F (continuous):                      -40 ... 175

**Accessories:**

MIV 10                      DIN-35 Mounting rail. for enclosures:  
 (100 x 35 x 1)  
 HFP 130                      Front panel hinge series for FP A 100-125  
 FP A 125/130                      Front panel (Aluminum). for enclosures:  
 (120 x 112 x 1)  
 MIN 10                      DIN-15 Mounting rail. for enclosures:  
 (100 x 15 x 1)  
 FP 22046                      Mounting foot kit (4 pcs)  
 MIV 125                      Back Panel (Galvanized steel). for enclosures:  
 (98 x 98 x 1)

**Rating:**

Ingress protection (EN 60529):                      IP66; IP67;  
 Impact Resistance (EN 62262):                      IK08;  
 Electrical insulation:                      Totally insulated  
 Halogen free (DIN/VDE 0472, Part 815):                      1

UV resistance:	UL 508
Flammability Rating:	UL 746C 5"
Glow Wire Test (IEC 695-2-1) °C:	960 °C
NEMA Class	

**Certificates:**

Certificate FI 40847