

PRODUCT-DETAILS

DDA202 AC-40/0.1 DDA202 AC-40/0.1 Residual Current Device Block



General Information	
Extended Product Type	DDA202 AC-40/0.1
Product ID	2CSB202001R2400
EAN	8012542791508
Catalog Description	DDA202 AC-40/0.1 Residual Current Device Block
Long Description	The RCD block DDA200 series is suitable for assembly with MCBs S200 series and S300P. It assures protection against the effects of sinusoidal alternating earth fault currents, protection, against indirects contacts and additional protection against direct (with sensitivity = 30 mA) contacts. Applications: residential, commercial, industrial.

Technical	
Standards	IEC/EN 61009 Ann. G
Type of Residual Current	AC type
Rated Voltage (U _r)	230/400 V
Rated Operational Voltage	230 V
Rated Insulation Voltage (U _i)	500 V
Rated Impulse Withstand Voltage (U _{imp})	4 kV
Rated Current (I _n)	40 A
Rated Residual Current	100 mA
Leakage Current Type	AC
Rated Frequency (f)	50/60 Hz

DDA202 AC-40/0.1 2

Power Loss	3.2 W
Power Supply Connection	Arbitrary
Electrical Endurance	10000 cycle
Number of Poles	2
Operating Characteristic	Instantaneous
Options Provided	<u> </u>
Connecting Capacity	Rigid 25 25 mm² Flexible 25 25 mm²
Environmental	
Ambient Temperature	-2555 °C
Ambient Air Temperature	Operation -2555 °C
Degree of Protection	IP2X
Resistance to Vibrations acc. to IEC 60068-2-6	0.1 mm or 1 g - 20 cycles at 51505 Hz
Resistance to Shock acc. to IEC 60068-2-27	25g 2 shocks 13 ms
RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	Refer to RoHS
Technical UL/CSA	
Short-Circuit Current Rating (SCCR)	0.1 0.1 A
Short-Circuit Current	0.1 0.1 A
Short-Circuit Current Rating (SCCR)	0.1 0.1 A
Short-Circuit Current Rating (SCCR) Dimensions	
Short-Circuit Current Rating (SCCR) Dimensions Product Net Width	70 mm
Short-Circuit Current Rating (SCCR) Dimensions Product Net Width Product Net Height Product Net Depth /	70 mm 93 mm
Short-Circuit Current Rating (SCCR) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight	70 mm 93 mm 76 mm
Short-Circuit Current Rating (SCCR) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Container Information	70 mm 93 mm 76 mm
Short-Circuit Current Rating (SCCR) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Container Information Package Level 1 Units	70 mm 93 mm 76 mm 0.210 kg box 1 piece
Short-Circuit Current Rating (SCCR) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Container Information Package Level 1 Units Package Level 1 Width	70 mm 93 mm 76 mm 0.210 kg box 1 piece 79 mm
Short-Circuit Current Rating (SCCR) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Package Level 1 Depth /	70 mm 93 mm 76 mm 0.210 kg box 1 piece 79 mm 80 mm
Short-Circuit Current Rating (SCCR) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Depth / Length Package Level 1 Topoth / Length Package Level 1 Gross	70 mm 93 mm 76 mm 0.210 kg box 1 piece 79 mm 80 mm
Short-Circuit Current Rating (SCCR) Dimensions Product Net Width Product Net Height Product Net Depth / Length	70 mm 93 mm 76 mm 0.210 kg box 1 piece 79 mm 80 mm 104 mm
Short-Circuit Current Rating (SCCR) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Package Level 1 EAN	70 mm 93 mm 76 mm 0.210 kg box 1 piece 79 mm 80 mm 104 mm
Short-Circuit Current Rating (SCCR) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Gross Weight Ordering	70 mm 93 mm 76 mm 0.210 kg box 1 piece 79 mm 80 mm 104 mm 0.245 kg 8012542791515
Short-Circuit Current Rating (SCCR) Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Depth / Length Package Level 1 Depth / Length Package Level 1 Topsth / Length Package Level 1 Gross Weight	70 mm 93 mm 76 mm 0.210 kg box 1 piece 79 mm 80 mm 104 mm

Certificates and Declarations (Document Number)

DDA202 AC-40/0.1 3

Declaration of Conformity - CE	9AKK106713A5614
Environmental Information	Refer to RoHS
Instructions and Manuals	9AKK108467A7091
RoHS Information	9AKK106713A5614

Popular Downloads	
Data Sheet, Technical Information	9AKK107991A8329
Instructions and Manuals	9AKK108467A7091

Classifications	
ETIM 7	EC002297 - Residual current circuit breaker (RCCB) module
ETIM 8	EC002297 - Residual current circuit breaker (RCCB) module
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363030
eClass	V11.0 : 27142210
Object Classification Code	F

Categories

 $\mbox{Low Voltage Products and Systems} \rightarrow \mbox{Modular DIN Rail Products} \rightarrow \mbox{Residual Current Devices RCDs} \rightarrow \mbox{Residual Current Devices RCD} \\ \mbox{Blocks}$

