

TERMINAL BLOCK MARKERS MG-CPM-15


for Allen Bradley, Weidmüller, Wago Top Job, Klemsan, Conta Clip

MG-CPM terminal block markers are available in versions to suit the particular clip formats of the most widely used products.

Depending on type, markers are presented as joined strips at a set or flexible pitch or as separate markers for convenient individual insertion on mixed pitch terminal block assemblies.

MG-CPM markers provide an elevated mechanical robustness, high dimensional stability and are Halogen Free.

Printing a complete sheet of MG-CPM markers on MARKINGenius® thermal transfer printers takes around 10 seconds, while to optimise application time, additional data - job details, location, etc - may be printed on the stems.



Part-used sheets are easily accommodated to avoid wastage. MG-CPM terminal block markers are available in versions to suit the particular clip formats of the most widely used products.

TERMINAL BLOCK MARKERS MG-CPM-15

Technical characteristics

Material	Polycarbonate
Halogen Free	yes
Silicon free	yes
UL94 class	V0
Min operating temperature range	-40 °C
Max operating temperature range	130 °C
Geometric shape	rectangular clip with rounded corners



TERMINAL BLOCK MARKERS **MG-CPM-15**

List of products

MG-CPM-15							
Type	Step of the clamp	Colour	Height	Length	Quantity per sheet	Pack qty	SWcode
42908	5.1 mm	White	5 mm	5 mm	48	1,680	402
42909	6.1 mm	White	6 mm	5 mm	40	1,400	403