

busbar 15 x 5 (01619)



The picture may show a similar product.

Description

Part No.: 01619
busbar 15 x 5
length 2.40 m, tinned

System

60Classic

Advantages of the product

Tin-plated Cu busbars considerably reduce the effort of preparing the contact points.
The Cu busbars are effectively protected against aggressive media.

Product group 06

Subgroup 82

pack size 1

EAN 4021267016197

catalog page 2020 : 3.3

ECLASS 6.1 27370303

ECLASS 7.1 27370303

ETIM 4.0 EC001522

ETIM 5.0 EC001522

Approvals

Standards

IEC 61439-1:2011

Approvals

DNV GL , EAC



type number: 15x5

EAC Type: BB-F

CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2011

Electrical data

Please respect the insulation characteristics of the busbar support for your application.

short-circuit withstandability: see product description of the used busbar support

power dissipation of the article:

The power dissipation at a typical load of 80 % results to 25.6 W.

(The power dissipation at full load would be 40.0 W.)

current at 30 K 250 A

:

Mechanical data


W x H x D: 2,400 x 15 x 5

weight: 160.6 kg/100

cross-section: 75 mm²

Edge radius 0.5

Accessories



01244

busbar cover

for 12 - 30 x 5 busbar, 1 m long

touch protection cover