


PE/N-support (01601)



The picture may show a similar product.

Description

Part No.: 01601
PE/N-support
1-pole, indiv. mountable
for busbars 12, 20, 30 x 5, 10

System

60Classic

Product group 06
Subgroup 03

pack size 1
EAN 4021267016012

catalog page 2020 : 3.1

ECLASS 6.1 27400607
ECLASS 7.1 27400607
ETIM 4.0 EC001166
ETIM 5.0 EC001166

Approvals

Standards

IEC 61439-1:2011
UL 508

Approvals

UL, DNV GL, EAC



for UL feeder circuits >250V

type number: S489-L
EAC Type: SB

UL file: E123577, UL category (for USA): NMTR <http://www.ul.com>
UL file: E123577, UL category (for Canada): NMTR8 <http://www.ul.com>
CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2011

Electrical data IEC

rated voltage (IEC) AC: 690 V

max. permitted voltage (IEC) DC: 1500 V

rated isolation voltage U_i AC: 1000 V

rated surge voltage U_{imp} : 6 kV

The insulation performance of the article depends on the installation conditions.

power dissipation of the article:

The power dissipation at a typical load of 80 % results to 0.0 W.

(The power dissipation at full load would be 0.0 W.)

Anzugsdrehmomente der Schrauben: 4 Nm

UL :

SCCR = 14 kA (Schienenträger im Abstand von 400 mm)

Details UL

Standards

UL 508

for UL feeder circuits >250V

Electrical data UL

rated voltage (UL) AC: 600 V

rated frequency (UL): 50 / 60 Hz

Mechanical data

W x H x D: 20 x 65 x 50

weight: 5.9 kg/100

poles: 1-pole

for busbars: 12, 20, 30 x 5, 10

Accessories



01325

end cover

for busbar support 01356 and 01601