Data Sheet | Item Number: 285-430

Step-down jumper; from 285 (35mm²) to 2016/2010 series; insulated; gray

https://www.wago.com/285-430

Color: gray

Electrical data

Ratings per IEC/EN

Nominal voltage (III/3)	800 V
Rated current	90 A

Physical data

Jumper assignment	1-2

Material Data

Note (material data)	Information on material specifications can be found here
Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.083 MJ
Weight	12 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	50 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454910945
Customs tariff number	85366990990

Approvals / Certificates

 Continued on next page

General approvals

Approval	Standard	Certificate Name
CSA DEKRA Certification B.V.	C22.2	154112
UL Underwriters Laboratories Inc.	UL 1059	E45172

Approvals for hazardous areas

Approval	Standard	Certificate Name
AEx Underwriters Laboratories Inc.	UL 60079	E185892 (AEx eb II C resp. Ex eb II C)

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 285-430

Documentation

Additional Information

Technical Section	pdf 2142.18 KB	

Bid Text

285-430	19.02.2019	xml 2.56 KB
285-430	28.04.2017	doc 22.00 KB

CAD/CAE-Data

CAD data

2D/3D Models 285-430

CAE data

EPLAN Data Portal 285-430

WSCAD Universe 285-430

ZUKEN Portal 285-430

Installation Notes

 Continued on next page