

Product datasheet

Specifications



Acti9 double control input auxiliary iACTc 230...240 V AC

Local distributor code:

396735348

A9C18308

EAN Code: 3606480097928

Main

Range	Acti9
Product Or Component Type	Double control input auxiliary
Device Short Name	iACTc
[Uc] Control Circuit Voltage	230...240 V AC 50/60 Hz impulse 250 ms 230...240 V AC 50/60 Hz maintained
[Us] Rated Supply Voltage	220...240 V AC at 50/60 Hz

Complementary

Maximum Output Current	0.2 A holding 2 A inrush
Hold-In Power Consumption In Va	3 VA
Mounting Mode	Fixed, on the left of CT
Mounting Support	DIN rail
9 Mm Pitches	2
Height	81 mm
Width	18 mm
Depth	60 mm
Colour	White
Overvoltage Category	III
[Uimp] Rated Impulse Withstand Voltage	4 kV
[Ui] Rated Insulation Voltage	440 V
Standards	IEC/EN 61095
Connections - Terminals	Control circuit: tunnel type terminals 2 cable(s) 2.5 mm ² flexible Control circuit: tunnel type terminals 2 cable(s) 1.5 mm ² rigid Control circuit: tunnel type terminals 1 cable(s) 1.5...2.5 mm ² rigid Control circuit: tunnel type terminals 1 cable(s) 1.5...2.5 mm ² flexible with ferrule Control circuit: yellow clips
Wire Stripping Length	9 mm
Tightening Torque	0.8 N.m
Range Compatibility	Acti9 Acti9 iCT
Market Segment	Small commercial Residential
Compatibility Code	IACTc

Environment

Ip Degree Of Protection	IP20 conforming to IEC 60529
Ambient Air Temperature For Operation	-5...50 °C
Ambient Air Temperature For Storage	-40...70 °C

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	7.9 cm
Package 1 Length	9.0 cm
Package 1 Weight	86.0 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	24
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	2.277 kg

Contractual warranty

Warranty	18 months
-----------------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

✓ Halogen Free Plastic Parts Product

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
