Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Isobar A - neutral bar - 1N - for distribution board - 14 ways SP+N

Local distributor code: 396793801

3793801 SEA9NA14

EAN Code: 5018934963327

Main

| Range of product | Acti9 | |
|---------------------------|--------------|--|
| Product or component type | Neutral bar | |
| enclosure mounting | Wall mounted | |
| Door type | Overall | |
| Enclosure material | Steel | |
| Surface treatment | Ероху | |
| Surface finish | Powder paint | |
| poles description | 1P + N | |

Complementary

| [le] rated operational current | 125 A at 230/240 V AC 125 A at 110 V AC | |
|--------------------------------|--|--|
| breaking capacity | 25 kA | |
| Protection device name | IC60H | |
| Product destination | Distribution board | |
| Number of ways | 14 ways outgoer | |
| Provided equipment | Neutral bar Busbar link 4 Cover | |
| IP degree of protection | IP2X internal conforming to BS EN 60529 | |
| IK degree of protection | IK05 conforming to BS EN 60529 | |
| Colour | White (RAL 9001) | |

Environment

| Standards | BS EN 60439-3 |
|---------------------------------------|---------------|
| Ambient air temperature for operation | -3570 °C |
| Ambient air temperature for storage | -4080 °C |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|--------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 9.0 cm |
| Package 1 Width | 9.0 cm |

| Package 1 Length | 29.0 cm |
|------------------------------|----------|
| Package 1 Weight | 284.0 g |
| Unit Type of Package 2 | PAM |
| Number of Units in Package 2 | 120 |
| Package 2 Height | 112.0 cm |
| Package 2 Width | 100.0 cm |
| Package 2 Length | 120.0 cm |
| Package 2 Weight | 49.08 kg |

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

| Well being performance | | |
|----------------------------|---|--|
| Mercury Free | | |
| Rohs Exemption Information | Yes | |
| Reach Regulation | REACh Declaration | |
| Eu Rohs Directive | Pro-active compliance (Product out of EU RoHS legal scope) | |
| China Rohs Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information | |