

Acti9 Isobar A - din rail enclosure - 8 ways - steel

Local distributor code:

396793717 SEA9DE16

EAN Code: 5018934963273

Main

Range	Acti9	
Product name	Acti9 Isobar A	
Product or component type	Loose enclosure	
Device application	Distribution	
enclosure mounting	Surface	
Door type	Left opening hinged plain door with plastic latch	
Provided equipment	equipment Back plate Earth terminal block Cover Door Enclosure DIN rail	

Complementary

Number of ways	8 ways (1P)
Number of horizontal rows	1
Enclosure material	Folded sheet steel: RAL 9001 epoxy powder coat
Cable entry	Knock-out 25 mm (top and bottom) Knock-out 25 mm (rear) Knock-out 25 mm (side)
Height	300 mm
Width	273 mm
Depth	117 mm

Environment

IP degree of protection IP3x

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	13.0 cm
Package 1 Width	28.0 cm
Package 1 Length	30.0 cm
Package 1 Weight	3.389 kg
Unit Type of Package 2	PAM

Number of Units in Package 2	72
Package 2 Height	112.0 cm
Package 2 Width	100.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	259.036 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Well being performance		
Mercury Free		
Rohs Exemption Information	Yes	
Reach Regulation	REACh Declaration	
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information	