Product datasheet

Specifications



Acti9 Isobar A - din rail enclosure -

16 ways - steel Local distributor code:

396793733

SEA9DE32

EAN Code: 5018934963297

Main

Range	Acti9
Product name	Acti9 Isobar A
Product or component type	Loose enclosure
Device application	Distribution
enclosure mounting	Surface
Door type	Left opening hinged plain door with plastic latch
Provided equipment	Cover Back plate Enclosure Door Earth terminal block DIN rail

Complementary

Number of ways	16 ways (1P)
Number of horizontal rows	1
Enclosure material	Folded sheet steel: RAL 9001 epoxy powder coat
Cable entry	Knock-out 25 mm (top and bottom) Knock-out 25 mm (rear) Knock-out 25 mm (side)
Height	300 mm
Width	417 mm
Depth	117 mm

Environment

IP degree of protection

IP3x

Packing Units

J	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	13.0 cm
Package 1 Width	31.0 cm
Package 1 Length	42.0 cm
Package 1 Weight	4.794 kg
Unit Type of Package 2	PAM

Number of Units in Package 2	56
Package 2 Height	112.0 cm
Package 2 Width	100.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	283.486 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
	Product out of China RoHS scope. Substance declaration for your information