## **Product datasheet**

Specification





# Acti9 Isobar B - attachment MCB - set of 3

Local distributor code: 396793775

SEA9LA

EAN Code: 5018934963808

#### Main

Range	Acti9
Product or component type	Padlocking device
Accessory / separate part category	Locking accessory
Quantity per set	3

### Complementary

Range compatibility	Acti 9 Acti9 Isobar B distribution board
Keylock destination	Toggle
Locking options description	Sealable Padlock in on or off position
padlock diameter	36 mm

## **Packing Units**

_	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.0 cm
Package 1 Width	5.0 cm
Package 1 Length	11.5 cm
Package 1 Weight	7.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	200
Package 2 Height	20.7 cm
Package 2 Width	21.6 cm
Package 2 Length	26.5 cm
Package 2 Weight	1.624 kg
Unit Type of Package 3	P06
Number of Units in Package 3	4800
Package 3 Height	75.0 cm
Package 3 Width	60.0 cm
Package 3 Length	80.0 cm
Package 3 Weight	54.6 kg

## **Contractual warranty**

Warranty

18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

 $\bigcirc$ 

Rohs Exemption Information

Yes



Halogen Free Plastic Parts Product

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations