# **Product datasheet**

Specifications





# Acti9 Isobar B - steel enclosure plain front- 484 height - 34 SP

ways

Local distributor code: 396792721

SEA9BN4SXP

#### EAN Code: 5018934962733

#### Main

Range	Acti9	
Product name	Acti9 Isobar B	
Product or component type	Loose enclosure	
Device application	Distribution	
Provided equipment	1 DIN rail door Plain front cover enclosure	

## Complementary

enclosure mounting	Surface	
Number of ways	34 (1P)	
Number of horizontal rows	2	
Enclosure material	Folded sheet steel: RAL 9001 epoxy powder coat	
Height	484 mm	
Depth	138 mm	
Width	470 mm	

### Environment

IP degree of protection

IP3x conforming to BS EN 60529

## **Packing Units**

V	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.0 cm
Package 1 Width	48.0 cm
Package 1 Length	48.0 cm
Package 1 Weight	9.443 kg
Unit Type of Package 2	РАМ
Number of Units in Package 2	24
Package 2 Height	112.0 cm
Package 2 Width	100.0 cm
Package 2 Length	120.0 cm

Package 2 Weight

241.632 kg

#### **Contractual warranty**

Warranty

18 months

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Rohs Exemption Information	Yes
Halogen Free Plastic Parts Product	

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations