

Product datasheet

Specifications



Acti9 IsoBar B - steel enclosure - slotted front - 862 height - 68 SP ways

Local distributor code:
396793157

SEA9BN16SXS

EAN Code: 5018934962450

Main

Range	Acti9
Product name	Acti9 IsoBar B
Product or component type	Loose enclosure
Device application	Distribution
Provided equipment	1 DIN rail door Slotted front cover enclosure

Complementary

enclosure mounting	Surface
Number of ways	68 (1P)
Number of horizontal rows	4
Enclosure material	Folded sheet steel: RAL 9001 epoxy powder coat
Height	862 mm
Depth	138 mm
Width	470 mm

Environment

IP degree of protection	IP3x conforming to BS EN 60529
-------------------------	--------------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.0 cm
Package 1 Width	49.0 cm
Package 1 Length	82.0 cm
Package 1 Weight	12.301 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	12
Package 2 Height	90.0 cm
Package 2 Width	100.0 cm
Package 2 Length	120.0 cm

Package 2 Weight 162.612 kg

Contractual warranty

Warranty 18 months

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Rohs Exemption Information Yes

Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile No need of specific recycling operations