Product datasheet

Specifications





Acti9 Isobar B - loose steel enclosure - slotted front - 51 SP

ways

Local distributor code: 396793047

SEA9BN12SXS

EAN Code: 5018934962344

Main

Range	Acti9	
Product name	Acti9 Isobar B	
Product or component type	Loose enclosure	
Device application	Distribution	
Provided equipment	1 DIN rail door Slotted front cover enclosure	

Complementary

-	
enclosure mounting	Surface
Number of ways	51 (1P)
Number of horizontal rows	3
Enclosure material	Folded sheet steel: RAL 9001 epoxy powder coat
Height	700 mm
Depth	138 mm
Width	470 mm

Environment

IP degree of protection

IP3x conforming to BS EN 60529

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	17.0 cm
Package 1 Width	46.0 cm
Package 1 Length	68.0 cm
Package 1 Weight	14.0 kg
Unit Type of Package 2	РАМ
Number of Units in Package 2	18
Package 2 Height	112.0 cm
Package 2 Width	100.0 cm
Package 2 Length	120.0 cm

Package 2 Weight

262.0 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Rohs Exemption Information	Yes
Halogen Free Plastic Parts Product	

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations