



 PRODUCT-DETAILS

S2C-H6-20R

S2C-H6-20R Auxiliary Contact



General Information

| | |
|-----------------------|---|
| Extended Product Type | S2C-H6-20R |
| Product ID | 2CDS200946R0002 |
| EAN | 4016779697958 |
| Catalog Description | S2C-H6-20R Auxiliary Contact |
| Long Description | S2C-H6-20R Auxiliary contact with contact configuration 2NO |

Technical

| | |
|--------------|--|
| Standards | CSA 22.2 No. 235 GB/T 14048.5 IEC/EN 60947-5-1 UL 1077 |
| Function | Auxiliary Contact |
| Suitable For | S200 S200M S200MT S200S S200P S200MUC S300P F200 S-ARC1 DS-ARC1 |

| | |
|---|--|
| | DS201 |
| Suitable for Product Class | Miniature Circuit Breaker Residual Current Device |
| Power Loss | 1 W Maximum 1 W |
| Number of Auxiliary Contacts NC | 0 |
| Number of Auxiliary Contacts NO | 2 |
| Number of Auxiliary Contacts CO (SPDT) | 0 |
| Accessory Type | Auxiliary Contact |
| Mounting Position | right |

Material Compliance

| | |
|---|---|
| RoHS Information | 2CDK440032D0203 |
| RoHS Status | Following EU Directive 2011/65/EU |
| RoHS Date | 0335 |
| REACH Declaration | 9AKK108468A9644 |
| REACH Information | False - does not contain substances > 0.1 mass percentage |
| REACH Date | 20231212 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Environmental

| | |
|---------------------------|-----------------|
| Environmental Information | 2CDK400571D0201 |
|---------------------------|-----------------|

Dimensions

| | |
|-------------------------------|---------|
| Product Net Width | 8.8 mm |
| Product Net Height | 85 mm |
| Product Net Depth / Length | 69 mm |
| Product Net Weight | 0.04 kg |

Container Information

| | |
|-----------------------------------|---------------|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 20 mm |
| Package Level 1 Height | 115 mm |
| Package Level 1 Depth / Length | 104 mm |
| Package Level 1 Gross Weight | 0.05 kg |
| Package Level 1 EAN | 4016779697958 |
| Package Level 2 Units | 64 piece |
| Package Level 2 Width | 140 mm |
| Package Level 2 Height | 275 mm |
| Package Level 2 Depth / Length | 433 mm |
| Package Level 2 Gross Weight | 3.5 kg |
| Package Level 2 EAN | 4016779709972 |

Ordering

| | |
|------------------------|---------|
| Minimum Order Quantity | 1 piece |
|------------------------|---------|

Certificates and Declarations

| | |
|-----------------------------------|-----------------|
| Declaration of Conformity - CE | 2CDK440030D2703 |
|-----------------------------------|-----------------|

Installation

| | |
|--------------------------|-----------------|
| Instructions and Manuals | 2TAB917006P0017 |
|--------------------------|-----------------|

Popular Downloads

| | |
|--------------------------------------|-----------------|
| Data Sheet, Technical Information | 2CSC400002D0211 |
|--------------------------------------|-----------------|

Classifications

| | |
|---------------------------------------|--|
| ETIM 8 | EC001286 - Auxiliary device for distribution board devices |
| ETIM 9 | EC001286 - Auxiliary device for distribution board devices |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Business |
| CN8 | 8536 50 80 |
| UNSPSC | 39121522 |
| eClass | V11.0 : 27143502 |
| IDEA Granular Category Code (IGCC) | 4743 >> Auxiliary contact block |

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs → Miniature Circuit Breakers MCBs
Accessories → Auxiliary / Signal Contacts

Medium Voltage Products and Systems → Service → Spares and Consumables → Parts → All Spare Parts (Relays-SWG-CB)

