



PRODUCT-DETAILS

# PS1/60

## PS1/60 Busbar 1 phase

.....

General Information	
Extended Product Type	PS1/60
Product ID	2CDL210001R1060
EAN	4016779514668
Catalog Description	PS1/60 Busbar 1 phase
Long Description	PS1/60 Busbar

Technical	
Standards	IEC/EN 60947-1
Suitable For	S200 F200 DDA200
Suitable for Product Class	1-pole devices (e.g. S201-SD201) Residual Current Circuit Breakers with Overcurrent Protection
Rated Operational Voltage	690 V AC/DC Maximum 690 V
Rated Short-time Withstand Current Low Voltage ( $I_{cw}$ )	25 kA

Rated Uninterrupted Current (I <sub>u</sub> )	63 A
Rated Frequency (f)	50 / 60 Hz DC
Pitch	44698.0
Number of Poles	60
Number of Phases	1
Number of Mountable Devices	60
	60
Overvoltage Category	III
Accessory Type	Busbar
Connection Type	Pin
Housing Material	Light grey, RAL 7035
Mounting Position	any
RAL Number	RAL 7035 - Light Grey
Color	grey
Rated Cross-Section	10 mm <sup>2</sup>

## Material Compliance

RoHS Information	9AKK108468A1264
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20230517
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20231212
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Environmental

Pollution Degree	2
Environmental Information	DIN EN 60068

## Dimensions

Width in Number of Modular Spacings	60.0
Product Net Width	20 mm
Product Net Height	17 mm
Product Net Depth / Length	1050 mm
Product Net Weight	0.26 kg

## Container Information

Package Level 1 Units	20 piece
Package Level 1 Width	145 mm
Package Level 1 Height	140 mm
Package Level 1 Depth / Length	1100 mm

Package Level 1 Gross Weight	0.57 kg
Package Level 1 EAN	4016779514668

## Ordering

Minimum Order Quantity	1 piece
E-Number (Finland)	3259492
E-Number (Sweden)	2102522

## Certificates and Declarations

Declaration of Conformity - CE	9AKK108469A0841
Declaration of Conformity - UKCA	9AKK108469A0914

## Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

## Popular Downloads

Data Sheet, Technical Information	9AKK107991A8329
-----------------------------------	-----------------

## Classifications

ETIM 8	EC000215 - Phase busbar
ETIM 9	EC000215 - Phase busbar
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536 90 10
UNSPSC	39121117
eClass	V11.0 : 27371306
IDEA Granular Category Code (IGCC)	4378 >> Phase busbar
Object Classification Code	W

## Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CDL200001R0012	BSK	BSK Shock Protection Cap	5	piece
2CDL200003R5001	SZ-ESK3	SZ-ESK3 Feeder Terminal	10	piece
2CDL200001R0004	PS-END 0	PS-END 0 End Cap 0 phase	50	piece

---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs → Miniature Circuit Breakers MCBs Accessories → Busbars and Accessories (IEC Range)

