

Eaton 20LET

Catalog Number: 20LET

Eaton Bussmann series high speed British standard fuse, 20A, 280 VAC/150 VDC (UL), Class aR, 200 kA RMS Sym.



General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed british standard fuse	20LET
	EAN
	5027590467988
UPC	Product Length/Depth
051712236140	61 mm
Product Height	Product Width
41 mm	90 mm
Product Weight	Compliances
33 g	RoHS Compliant
	CE Marked

Product specifications

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

20 A

Breaking capacity

200 kA

Fuse indicator

None

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC/DC

Rated switching capacity

200 kA

Rated voltage AC

280 V

Rated voltage DC

150 V

Center-to-center distance of connections

41.5 mm

Mounting dimension

M6

Current type

AC/DC

Class

Class aR

Fuse shape

Offset bolted tags

Color

None

Resources

Brochures

[eaton-bussmann-series-bs88-high-speed-fuses-product-aid-pa135003en-us.pdf](#)

Catalogues

[IEC high speed fuse links](#)

Declarations of conformity

[DA-DC-00004685](#)

[DA-DC-00004682](#)

Interrupt rating

200 kA RMS Sym, 50 kA DC at 150 Vdc

Connection

Blade end x blade end

Construction size

Other

Mounting method

Stud

Packaging type

Standard

Voltage rating

280 V

Fuse type

LET

Suitable for

TI500 Fuse indicator

MAI Microswitch/adaptor

MBI Microswitch/adaptor

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)