

Eaton 12LET

Catalog Number: 12LET

Eaton Bussmann series high speed British standard fuse, 12A, 280 VAC/150 VDC (UL), Class aR, 200 kA RMS Sym.



General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed british standard fuse	12LET
	Model Code
	12A 240V AC TYPE T FUSE (10)
EAN	UPC
5027590432474	051712830751
Product Length/Depth	Product Height
61 mm	41 mm
Product Width	Product Weight
90 mm	32 g
Compliances	
RoHS Compliant	
CE Marked	

Product specifications

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

12 A

Breaking capacity

200 kA

Fuse indicator

None

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC/DC

Rated switching capacity

200 kA

Rated voltage AC

280 V

Rated voltage DC

150 V

Center-to-center distance of connections

41.5 mm

Mounting dimension

M6

Current type

AC

Class

Class aR

Clearing (I²T)

42 at 120 V, 58 at 240 V

Watt losses

2 W

Resources

Brochures

[eaton-bussmann-series-bs88-high-speed-fuses-product-aid-pa135003en-us.pdf](#)

Catalogues

[IEC high speed fuse links](#)

Declarations of conformity

[DA-DC-00004685](#)

[DA-DC-00004682](#)

Fuse shape

Offset bolted tags

Pre arc (I2T)

7

Color

None

Interrupt rating

200 kA RMS Sym, 50 kA DC at 150 Vdc

Connection

Blade end x blade end

Construction size

Other

Mounting method

Stud

Packaging type

Standard

Voltage rating

280 V

Fuse type

LET

Suitable for

TI500 Fuse indicator

MAI Microswitch/adaptor

MBI Microswitch/adaptor

Fuse system (according to IEC 60269)

Other