

# Eaton ESD63

Catalog Number: ESD63

Eaton Bussmann series low voltage british standard fuse, 63A, AC 415 V, V88/F2, 18 x 68 mm, gL/gG



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage british standard fuse	ESD63
	<b>EAN</b> 5027590498692
<b>UPC</b> 051712839891	<b>Product Length/Depth</b> 67 mm
<b>Product Height</b> 18 mm	<b>Product Width</b> 18 mm
<b>Product Weight</b> 30.5 g	<b>Compliances</b> CE Marked RoHS Compliant
<b>Certifications</b> IEC 60269-2 BS88	

## Electrical data

### Amperage Rating

63 A

### Voltage rating

415 V

### Voltage type

AC

### Breaking capacity

80 kA

### Class

Class gG/gL

## Compatible fuse holder

### Suitable for

63ENS Safeloc fuse holder

SC63 Safeclip fuse holder

## Product specifications

### Fuse type

ESD

### Fitted with:

Offset bladed tags

### Construction

BS88/F2

## Resources

### Catalogues

CA134002EN

### Declarations of conformity

UKCA ESD

CE ESD

### Installation videos

Video BS88 industrial fuse links

### Multimedia

Eaton Bussmann - Red Spot fuse links

### Technical data sheets

4101 ESD fuses

### Technical service bulletins

Datasheet - ESD63



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)