

Eaton CEO100M125

Catalog Number: CEO100M125

Eaton Bussmann series low voltage British standard fuse, Fuse-link, LV, 100 A, AC 415 V, BS88/A4, 27 x 110 mm, gM, BS, 100M125



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage british standard fuse	CEO100M125
	EAN
	5027590496254
UPC	Product Length/Depth
051712839426	111 mm
Product Height	Product Width
28 mm	28 mm
Product Weight	Compliances
102.4 g	Contact Manufacturer

Electrical data

Amperage Rating

125 A

Voltage rating

415 V

Voltage type

AC

Breaking capacity

80 kA

Class

Class gM

Compatible fuse holder

Suitable for

RS100 Red spot fuse holder

Product specifications

Fuse type

CEO

Fitted with:

Offset bolted tags

Construction

BS88/A4

Resources

Catalogues

[CA134002EN](#)

Declarations of conformity

[CE AAO,BAO,CEO,NITD,NIT,GTIS,CEO100M,GTIS63M](#)

[UKCA AAO,BAO,CEO,NITD,NIT,GTIS,CEO100M,GTIS63M](#)

Installation videos

[Video BS88 industrial fuse links](#)

Multimedia

[Eaton Bussmann - Red Spot fuse links](#)

Technical data sheets

[4115 CEO fuses](#)

Technical service bulletins

[Datasheet - CEO100M125](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)