

Eaton NSD20M25

Catalog Number: NSD20M25

Eaton Bussmann series low voltage british standard fuse, 20 A, AC 415 V, V88/F2, 18 x 59 mm, gM, 20M25



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage british standard fuse	NSD20M25
	EAN
	5027590504836
UPC	Product Length/Depth
051712840293	58.5 mm
Product Height	Product Width
13.8 mm	13.8 mm
Product Weight	Compliances
16.2 g	CE Marked
	RoHS Compliant
Certifications	
IEC 60269-2	
BS88	

Electrical data

Amperage Rating

20 A

Voltage rating

415 V

Voltage type

AC

Breaking capacity

80 kA

Class

Class gM

Compatible fuse holder

Suitable for

32NNS Safeloc fuse holder

SC32 Safeclip fuse holder

Product specifications

Fuse type

NSD

Fitted with:

Offset bladed tags

Construction

BS88/F2

Resources

Catalogues

CA134002EN

Declarations of conformity

CE NSDx, NSD20Mx, NSD32Mx

UKCA NSDx, NSD20Mx, NSD32Mx

Installation videos

Video BS88 industrial fuse links

Multimedia

Eaton Bussmann - Red Spot fuse links

Technical data sheets

4100 NSD fuses

Technical service bulletins

Datasheet - NSD20M25



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)