

# Eaton NSD20M32

Catalog Number: NSD20M32

Eaton Bussmann series low voltage british standard fuse, 20A, AC 415 V, V88/F1, 14 x 59 mm, gM, 20M32



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage british standard fuse	NSD20M32
	<b>EAN</b> 5027590504843
<b>UPC</b> 051712840309	<b>Product Length/Depth</b> 58.5 mm
<b>Product Height</b> 13.8 mm	<b>Product Width</b> 13.8 mm
<b>Product Weight</b> 16.25 g	<b>Compliances</b> CE Marked RoHS Compliant
<b>Certifications</b> IEC 60269-2 BS88	

## Electrical data

### Amperage Rating

20 A

### Voltage rating

415 V

### Voltage type

AC

### Breaking capacity

80 kA

### Class

Class gM

## Compatible fuse holder

### Suitable for

32NNS Safeloc fuse holder

SC32 Safeclip fuse holder

## Product specifications

### Fuse type

NSD

### Fitted with:

Offset bladed tags

### Construction

BS88/F1

## Resources

### Catalogues

CA134002EN

### Declarations of conformity

CE NSD<sub>x</sub>, NSD20M<sub>x</sub>, NSD32M<sub>x</sub>

UKCA NSD<sub>x</sub>, NSD20M<sub>x</sub>, NSD32M<sub>x</sub>

### Installation videos

Video BS88 industrial fuse links

### Multimedia

Eaton Bussmann - Red Spot fuse links

### Technical data sheets

4100 NSD fuses

### Technical service bulletins

Datasheet - NSD20M32



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)