

# Eaton OSD100M125

Catalog Number: OSD100M125

Eaton Bussmann series low voltage british standard fuse, 100A, AC 415 V, 26 x 95 mm, gM, 100M125



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage british standard fuse	OSD100M125
	<b>EAN</b>
	5027590505116
<b>UPC</b>	<b>Product Length/Depth</b>
051712844413	91 mm
<b>Product Height</b>	<b>Product Width</b>
27 mm	27 mm
<b>Product Weight</b>	<b>Compliances</b>
81.9 g	RoHS Compliant

## Electrical data

### Amperage Rating

100 A

### Voltage rating

415 V

### Voltage type

AC

### Breaking capacity

80 kA

### Class

Class gM

## Compatible fuse holder

### Suitable for

CM100F Red spot fuse holder

SC100 Safeclip fuse holder

## Product specifications

### Fuse type

OSD

### Fitted with:

Offset bolted tags

### Construction

BS88

## Resources

### Catalogues

CA134002EN

### Declarations of conformity

UKCA DEO OSD motor start

CE DEO OSD motor start

### Installation videos

Video BS88 industrial fuse links

### Multimedia

Eaton Bussmann - Red Spot fuse links

### Technical data sheets

4107 OSD fuses

### Technical service bulletins

Datasheet - OSD100M125



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)