

Eaton AAO32M50

Catalog Number: AAO32M50

Eaton Bussmann series low voltage british standard fuse, 32A, AC 500 V, V88/A2, 22 x 85 mm, gM, 32M50

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage british standard fuse	AAO32M50 EAN 5027590491587
UPC	Product Length/Depth
051712838450	85 mm
Product Height	Product Width
21 mm	21 mm
Product Weight	Compliances
50.1 g	RoHS Compliant



Electrical data

Amperage Rating

50 A

Voltage rating

500 V

Voltage type

AC

Breaking capacity

80 kA

Class

Class gM

Compatible fuse holder

Suitable for

CM32F Camaster fuse holder

RS32 Red spot fuse holder

Product specifications

Fuse type

AAO

Fitted with:

Offset bolted tags

Construction

BS88/A2

Resources

Catalogues

CA134002EN

Declarations of conformity

CE AAO BAO NIT NITD motor start

UKCA AAO BAO NIT NITD motor start

Installation videos

Video BS88 industrial fuse links

Multimedia

Eaton Bussmann - Red Spot fuse links

Technical data sheets

4109 AAO fuses

Technical service bulletins

Datasheet - AAO32M50



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)