

# Eaton EF400M500

Catalog Number: EF400M500

Eaton Bussmann series low voltage British standard fuse, Fuse-link, LV, 400 A, AC 550 V, BS88/C1, 59 x 210 mm, gM, BS, 400M500



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage british standard fuse	EF400M500
	<b>EAN</b>
	5027590019125
<b>UPC</b>	<b>Product Length/Depth</b>
051712839778	210 mm
<b>Product Height</b>	<b>Product Width</b>
59 mm	59 mm
<b>Product Weight</b>	<b>Compliances</b>
660 g	RoHS Compliant

## Electrical data

### Amperage Rating

500 A

### Voltage rating

550 V

### Voltage type

AC

### Breaking capacity

80 kA

### Class

Class gM

## Compatible fuse holder

### Suitable for

RS400 Red spot fuse holder

## Product specifications

### Fuse type

EF

### Fitted with:

Centre bolted tags

### Construction

BS88/C1

## Resources

### Catalogues

[CA134002EN](#)

### Declarations of conformity

[CE CD CD100M FF FG GG GF GH](#)

[UKCA CD CD100M FF FG GG GF GH](#)

### Installation videos

[Video BS88 industrial fuse links](#)

### Multimedia

[Eaton Bussmann - Red Spot fuse links](#)

### Technical data sheets

[4120 EF fuses](#)

### Technical service bulletins

[Datasheet - EF400M500](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)