



PRODUCT-DETAILS

SPL32/M32/B

STR SWL NPB FITTING M32 32MM-MET



General Information	
Extended Product Type	SPL32/M32/B
Product ID	7TCA296030R0253
EAN	5020963001192
Catalog Description	STR SWL NPB FITTING M32 32MM-MET
Long Description	1 Inch Nickel Plated Brass Liquid Tight Straight Fitting with Swivel External Thread, Metric Thread Size M32

Ordering	
EAN	5020963001192
UPC	786210247106
Country of Origin	United Kingdom (GB)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	2 piece
Package Level 1 Width	5.9 in 150 mm

Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 2 Units	100 piece
Package Level 2 Width	12.99 in 330 mm
Package Level 2 Height	7.48 in 190 mm
Package Level 2 Depth / Length	11.41 in 290 mm

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M32 Thread
Color	Metallic
Effective Date	20110412
Material	Brass
Product Name	METALLIC FITTING
Product Type	Liquid Tight Non-Metallic Fitting
RoHS Date	9AKK107992A8994
Size	1 Inch
Surface Finishing	Nickel Plated

Certificates and Declarations

Data Sheet, Technical Information	SPL32/M32/B
Declaration of Conformity - CE	9AKK107492A9618

Classifications

ETIM 7	EC001180 - Screw connection for protective metallic hose
ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

