

Part number

CGMA 25



Male crimp contact, CG series, 100 A, turned silver plated, wire cross section 25 mm², AWG 4 - 3


Product description		Material properties	
Product type	Crimp contact	Main material	Copper alloy
Series	CG	RoHs conformity	Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
Gender	Male	China RoHs - EFUP	50
Technical data		REACH SVHC substances	Yes Lead
Current	100 A	SCIP number	C0979fba-9907-458f-a94a-db781440f273
Wire cross-section	25,00 mm²	Approvals / Standards	
AWG size	4 - 3	Certifications	CSA, EAC
Contact type	Turned silver plated	UL	ECBT2
Further technical details		cUL	ECBT8
Weight	20,00 g	General ordering information	
		EAN13 code	8015747122702
		eCl@ss 8.1	27440204
		ETIM 7.0	EC000796
Packaging Information			
		Packaging length	132,00 mm
		Packaging height	108,00 mm
		Packaging width	210,00 mm
		Packaging weight	3,56 kg
		Packaging volume	2,99 dm³
		Packaging description	Carton box
		Packaging quantity	150 Pcs
		Packaging EAN code	8015747225588
		Sub-packaging length	1,00 mm
		Sub-packaging height	1,00 mm
		Sub-packaging width	1,00 mm
		Sub-packaging weight	0,71 kg
		Sub-packaging description	Plastic box
		Sub-packaging quantity	30 Pcs
		Sub-packaging EAN barcode	8015747122733

Part number

CGMA 25



Catalogue drawings



CGF and CGM contacts

conductor section (mm ²)	conductor slot			conductor stripping length (mm)
	$\varnothing A$ (mm)	$\varnothing B$ (mm)	$\varnothing C$ (mm)	
8-10	4,3	4,3	13	15
16	5,5	5,5	13	15
25	7,0	7,0	13	15
35	7,9	8,2	12,5	15

Notes

Dimensions shown in mm are not binding and may be changed without notice.

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.

